



**COMMERCIAL VEHICLE  
PERFORMANCE SHOCKS**

**CATALOG**



**RydeFX.com**



RF76

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

**BENSON TRUCK BODIES INC.**  
**VARIOUS**

**BENSON TRUCK BODIES INC.**

|  |   |         |      |   |
|--|---|---------|------|---|
|  | Models with Hendrickson Intrax Air Suspension | A-20002 | .... |  91018 |
|--|---|---------|------|---|

**BLUE BIRD**  
**ADDITIONAL APPLICATIONS**

**BLUE BIRD**

|  |                               |         |   |      |
|--|-------------------------------|---------|---|------|
|  | Buses with 3/4" Mounting Pins | 2021459 |  91015 | .... |
|--|-------------------------------|---------|---|------|

**BROCKWAY SCHOOL BUS**  
**VARIOUS**

**BROCKWAY SCHOOL BUS**

|  |  |      |   |      |
|--|--|------|---|------|
|  | 300, 400, 500 Models With 3/4" Mounting Pins | .... |  91015 | .... |
|--|--|------|---|------|

**CHANCE COACH TRANSIT BUS**

**CHANCE COACH TRANSIT BUS**

|  |                               |         |   |      |
|--|-------------------------------|---------|---|------|
|  | Buses with 3/4" Mounting Pins | 2021459 |  91015 | .... |
|--|-------------------------------|---------|---|------|

**CUSH CORPORATION**  
**TRAILER SUSPENSIONS - LOW MOUNT**

**CUSH CORPORATION**

|  |  |         |      |   |
|--|--|---------|------|---|
|  | 25k UnderMount Econo 6/9                 | C0078   | .... |  91018   |
|  | CompacTrac 4.5/7 RH                      | C0078   | .... |  91018   |
|  | DiscMATE LowMount 25K Disc Brake         | C0062-D | .... |  91018   |
|  | Performance Yoke-8in 25K Undermount      | C0062-D | .... |  91018   |
|  | RideBest 25KHD 6                         | C0062-D | .... |  91018  |
|  | RideBest 25KHD 8                         | C0062-D | .... |  91018 |
|  | RideBest Yoke 25KHD 9                    | C0062-D | .... |  91018 |
|  | RoughNeck, Cush Integrated, LowMount 25K | C0062-D | .... |  91018 |

**TRAILER SUSPENSIONS - TOP MOUNT**

|  |  |       |      |   |
|--|--|-------|------|---|
|  | CLT-25 CushLITE BigFOOT (245 Style)    | C0078 | .... |  91018 |
|  | CLX25-317 CushLITE BigFOOT (317 style) | C0078 | .... |  91018 |

**DYNAMAX CORP**  
**DX3**

**DYNAMAX CORP**

|       |  |   |      |   |
|-------|--|---|------|---|
| 13-24 | Models with Airliner 21,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  91009 |
|-------|--|---|------|---|

**DYNAQUEST**

|       |  |   |      |   |
|-------|--|---|------|---|
| 05-07 | Models with Airliner 18,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  91009 |
|-------|--|---|------|---|

**DYNAQUEST ST**

|       |  |   |      |   |
|-------|--|---|------|---|
| 09-14 | Models with Airliner 18,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  91009 |
|-------|--|---|------|---|

**DYNAQUEST XL**

|       |  |   |   |   |
|-------|--|---|---|---|
| 09-24 | Models with 12000 lb to 20000 Front Axle           | 10-13809-000<br>471700003920  |  91011 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  91009 |

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## DYNAMAX CORP EUROPA

## DYNAMAX CORP

|       |  |   |      |   |       |
|-------|--|---|------|---|-------|
| 21-24 | Models with Airliner 21,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  | 91009 |
|-------|--|---|------|---|-------|

### FORCE HD

|       |  |   |      |   |       |
|-------|--|---|------|---|-------|
| 22    | Models with Airliner 21,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  | 91009 |
| 15-18 | Models with Airliner 21,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  | 91009 |

### GRAND SPORT

|       |   |  |       |   |       |
|-------|---|--|-------|---|-------|
| 02-04 | Models 23,000 lb Airliner Rear Air Suspension   | 16-15817-000<br>471700002808<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809              | ....  |  | 91009 |
|       | Models with 12000 lb Taperleaf Front Suspension | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13684-000<br>10-13211-000<br>471700131155 | 91035 |  | ....  |

### GRAND SPORT GT

|       |   |   |   |   |       |
|-------|---|---|---|---|-------|
| 09-14 | Models with 14,600 lb Taperleaf Front Suspension      | SDA471700003920<br>10-13809-000   |  | 91011   | ....  |
|       | Models with Freightliner Airliner Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  | 91009 |

### GRAND SPORT GT TOY HAULER

|       |   |  |   |   |       |
|-------|---|--|---|---|-------|
| 09-13 | 410TH & 450TH Models with 12000 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000  |  | 91011   | ....  |
| 07-13 | Models 21K or 23K Airliner Rear Air Suspension                | 16-15817-000<br>471700002808<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809              | ....  |  | 91009 |
| 07-08 | 410TH & 450TH Models with 12000 lb Taperleaf Front Suspension | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13684-000<br>10-13211-000<br>471700131155 | 91035   |  | ....  |

### GRAND SPORT M2

|       |  |   |      |   |       |
|-------|--|---|------|---|-------|
| 03-07 | Models with Airliner 21,000 lb Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  | 91009 |
|-------|--|---|------|---|-------|

### GRAND SPORT ULTRA

|       |  |  |   |   |       |
|-------|--|--|---|---|-------|
| 09-14 | Models with 14,000 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000  |  | 91011   | ....  |
| 07-14 | Models 23,000 lb Airliner Rear Air Suspension    | 16-15817-000<br>471700002808<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809              | ....  |  | 91009 |
| 07-08 | Models with 14,000 lb Taperleaf Front Suspension | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13684-000<br>10-13211-000<br>471700131155 | 91035   |  | ....  |

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## EAST MANUFACTURING CORP.

## EAST MANUFACTURING CORP.

### VARIOUS

|  |  |                              |      |   |
|--|--|------------------------------|------|---|
|  | Shocks with stamping number            | A-20002                      | .... |  91018 |
|  | Trailers with East Trailer part number | 517-05110-20<br>517-05805-20 | .... |  91018 |

## ENTEGRA COACH

## ENTEGRA COACH

### ACCOLADE

|       |                                       |              |   |   |
|-------|---------------------------------------|--------------|---|---|
| 20-24 | Models with Freightliner S2RV chassis | 10-13976-000 |  91035 | ....  |
|       |                                       | 16-16764-000 | ....  |  91009 |

### ACCOLADE XL

|       |                                       |              |   |   |
|-------|---------------------------------------|--------------|---|---|
| 21-24 | Models with Freightliner S2RV chassis | 10-13976-000 |  91035 | ....  |
|       |                                       | 16-16764-000 | ....  |  91009 |

## FEDERAL COACH

## FEDERAL COACH

### VARIOUS

|       |  |                              |      |   |
|-------|--|------------------------------|------|---|
| 02-19 | Shuttle buses with Freightliner M2-106 Chassis | 16-18708-000<br>471700002809 | .... |  91009 |
|-------|--|------------------------------|------|---|

## FORD

## FORD

### A9513

|       |  |              |      |   |
|-------|--|--------------|------|---|
| 96-98 | Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring | F5HZ-18125-B | .... |  91012 |
|-------|--|--------------|------|---|

### A9522

|    |  |              |      |   |
|----|--|--------------|------|---|
| 97 | Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring | F5HZ-18125-B | .... |  91012 |
|----|--|--------------|------|---|

### AT9513

|       |  |              |      |   |
|-------|--|--------------|------|---|
| 96-98 | Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring | F5HZ-18125-B | .... |  91012 |
|-------|--|--------------|------|---|

### AT9522

|       |  |              |      |   |
|-------|--|--------------|------|---|
| 97-98 | Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring | F5HZ-18125-B | .... |  91012 |
|-------|--|--------------|------|---|

### B - SERIES - BUS COWL CHASSIS

|       |   |               |      |   |
|-------|---|---------------|------|---|
| 94-97 | B - 700 with 21000 lb Taperleaf Springs | F4HT-18080-BA | .... |  91012 |
|       | B - 800 with 21000 lb Taperleaf Springs | F4HT-18080-BA | .... |  91012 |

### F-800

|       |                                     |               |      |   |
|-------|-------------------------------------|---------------|------|---|
| 94-97 | Models with 21000 Taperleaf Springs | F4HT-18080-BA | .... |  91012 |
|-------|-------------------------------------|---------------|------|---|

### FT900

|       |   |               |      |   |
|-------|---|---------------|------|---|
| 94-98 | Models with 46" Taperleaf Springs and 21000 lb Axle | F4HT-18080-BA | .... |  91012 |
|-------|---|---------------|------|---|

### L8000F

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### L9000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### LN7000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### LN8000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### LN9000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |         |         |
|------|---------------|------|--|--|
|      |               |      |  RydeFX |  RydeFX |

## FORD

## FORD

### LNT8000F

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### LNT9000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### LT9000

|       |  |               |      |   |
|-------|--|---------------|------|---|
| 94-97 | Models with 21000 or 23000 lb. with 46" Taperleaf Spring | F4HT-18080-BA | .... |  91012 |
|-------|--|---------------|------|---|

### MOTORHOME CHASSIS

|       |  |      |   |      |
|-------|--|------|---|------|
| 73-76 | M-400 & M-500 Motorhome Chassis                  | .... |  91015 | .... |
| 57-76 | P-400 & 4000 Motorhome Chassis with H.D. Springs | .... |  91015 | .... |

## FREIGHTLINER

## FREIGHTLINER

### 108SD

|       |  |   |      |   |
|-------|--|---|------|---|
| 12-24 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  91009 |
|-------|--|---|------|---|

### 114SD

|       |  |   |   |  |
|-------|--|---|---|--|
| 12-24 | All Models with 12000 lb to 20000 lb Set-Back Front Axle | SDA471700003920<br>10-13809-000   |  91011   | ....   |
|       | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-22018-000<br>471700015596<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  91009 |
| 12-23 | All Models with 18,000 lb Flat Leaf Spring               | 10-13684-000<br>471700000470  |  91035 | ....   |

### 122SD

|       |  |   |   |   |
|-------|--|---|---|---|
| 13-23 | All Models with 12000 lb to 20000 lb Set-Back Front Axle | SDA471700003920<br>10-13809-000   |  91011 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  91009 |

### ARGOSY

|       |  |  |   |   |
|-------|--|--|---|---|
| 99-15 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>471700000449<br>10-12703-000 |  91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000                 | ....  |  91009 |

### B2

|       |  |   |   |   |
|-------|--|---|---|---|
| 05-23 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>10-13211-000  |  91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  91009 |

### CASCADIA

|       |  |   |   |   |
|-------|--|---|---|---|
| 18-24 | 126 Models with 12000 to 13300 lb Taperleaf Front Suspension | 10-14317-000<br>10-14282-000<br>X9007009-73<br>10-14193-000<br>A90193<br>10-14339-000 |  91024 | ....  |
| 08-24 | Models with FAS II (40,000 lb) Rear Air Suspension           | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809       | ....  |  91009 |

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|
|------|---------------|------|---|---|

## FREIGHTLINER

## FREIGHTLINER

### CASCADIA (cont)

|       |  |   |  |       |      |
|-------|--|---|--|-------|------|
| 18-21 | 116 Models with 12000 to 13300 lb Taperleaf Front Suspension | 10-14317-000<br>10-14282-000<br>X9007009-73<br>10-14193-000<br>A90193 |   | 91024 | .... |
| 18-20 | 113 Models with 12000 to 13300 lb Taperleaf Front Suspension | 10-14317-000<br>10-14282-000<br>X9007009-73<br>10-14193-000<br>A90193 |   | 91024 | .... |
| 09-20 | 125 Models with 12000 to 13300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000                                       |   | 91011 | .... |
| 09-17 | 113 Models with 12000 to 13300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000                                       |   | 91011 | .... |
| 08    | 125 Models with 12000 to 13300 lb Taperleaf Front Suspension | 10-13634-000<br>47170000449<br>10-13211-000<br>471700131155           | <br> | 91035 | .... |

### CENTURY CLASS

|       |  |   |  |       |   |
|-------|--|---|--|-------|---|
|       | Models with Low Profile Front                      | 10-12703-000  | <br> | 91035 | ....  |
| 00-11 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>47170000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |
| 96-11 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000  |   | ....  |  91009 |

### CLASSIC

|       |  |   |  |       |   |
|-------|--|---|--|-------|---|
| 01-11 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>47170000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155     | <br> | 91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | <br> | ....  |  91009 |

### CLASSIC XL

|       |  |   |  |       |   |
|-------|--|---|--|-------|---|
| 01-09 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>47170000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155     | <br> | 91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | <br> | ....  |  91009 |

### COLUMBIA

|       |  |  |  |       |   |
|-------|--|--|--|-------|---|
| 09-20 | Models with 12000 lb Taperleaf Front Suspension    | SDA471700003920<br>10-13809-000  | <br> | 91011 | ....  |
| 00-20 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>471700002808<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809                            | <br> | ....  |  91009 |
| 00-08 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>47170000449<br>10-13063-000<br>10-13021-000<br>10-13684-000<br>47170000470<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |

### CONDOR

|       |  |   |  |       |      |
|-------|--|---|--|-------|------|
| 01-07 | Models with 14,600 to 20,000 lb Front Suspension | 10-13634-000<br>47170000449<br>10-13211-000<br>471700131155 | <br> | 91035 | .... |
|-------|--|---|--|-------|------|

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |  |  |
|------|---------------|------|---|---|
|      |               |      | RydeFX  | RydeFX  |

## FREIGHTLINER

## FREIGHTLINER

### CONDOR (cont)

|       |  |   |      |   |       |
|-------|--|---|------|---|-------|
| 01-07 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... |  | 91009 |
|-------|--|---|------|---|-------|

### CORONADO

|       |  |   |   |   |       |
|-------|--|---|---|---|-------|
| 10-20 | Models with 12,000 lb to 20,000 Front Axle         | 10-13809-000<br>471700003920  |  | 91011   | ....  |
| 01-20 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  |  | 91009 |
| 01-09 | Models with 12000 lb Taperleaf Front Suspension    | 10-13211-000  |  | 91035   | ....  |

### FC70

|       |   |  |      |   |       |
|-------|---|--|------|---|-------|
| 05-07 | Models with Freightliner FAS II Rear Air Suspension | 16-15817-000<br>16-13957-000                 | .... |  | 91009 |
| 99-04 | Models with FAS II (40,000 lb) Rear Air Suspension  | 16-15817-000<br>16-13957-000<br>16-18708-000 | .... |  | 91009 |

### FC80

|       |  |  |      |   |       |
|-------|--|--|------|---|-------|
| 99-07 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000 | .... |  | 91009 |
|-------|--|--|------|---|-------|

### FL50

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 95-05 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
|-------|--|------------------------------|------|---|-------|

### FL60

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 91-05 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
|-------|--|------------------------------|------|---|-------|

### FL70

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 91-06 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
|-------|--|------------------------------|------|---|-------|

### FL80

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 91-06 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
|-------|--|------------------------------|------|---|-------|

### FLA086

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 89-99 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
|-------|--|------------------------------|------|---|-------|

### FLB

|       |  |                              |      |   |       |
|-------|--|------------------------------|------|---|-------|
| 02    | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |
| 94-99 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |  | 91009 |

### FLC112

|       |  |  |   |   |       |
|-------|--|--|---|---|-------|
| 95-01 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 |  | 91035   | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000   | ....  |  | 91009 |

### FLD112

|       |  |  |   |   |       |
|-------|--|--|---|---|-------|
| 95-08 | Models with 12000 lb Taperleaf Front Suspension    | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 |  | 91035   | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000   | ....  |  | 91009 |

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## FREIGHTLINER

## FREIGHTLINER

### FLD120

|       |  |  |  |       |   |
|-------|--|--|--|-------|---|
| 09-11 | Models with 12000 to 13300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000  | <br> | 91011 | ....  |
| 95-11 | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-13957-000   |  | ....  |  91009 |
| 95-08 | Models with 12000 lb Taperleaf Front Suspension          | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |

### FLD120SD

|       |  |  |  |       |   |
|-------|--|--|--|-------|---|
| 09-12 | Models with 12000 to 13300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000  | <br> | 91011 | ....  |
| 05-12 | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-13957-000   |  | ....  |  91009 |
| 05-08 | Models with 12000 lb Taperleaf Front Suspension          | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |
| 03    | Models with 12000 lb Taperleaf Front Suspension          | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-13957-000   |  | ....  |  91009 |

### FLD132

|       |  |  |  |       |   |
|-------|--|--|--|-------|---|
| 09-11 | Models with 12000 to 13300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000  | <br> | 91011 | ....  |
| 03-11 | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-13957-000   |  | ....  |  91009 |
| 05-08 | Models with 12000 lb Taperleaf Front Suspension          | 10-13634-000<br>471700000449<br>10-13063-000<br>10-13021-000<br>10-13211-000<br>471700131155 | <br> | 91035 | ....  |
| 01    | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-15817-000<br>16-13957-000   |  | ....  |  91009 |

### FRED CHASSIS

|       |  |                              |  |       |      |
|-------|--|------------------------------|--|-------|------|
| 06-08 | Front - Engine Diesel Chassis (FRED Chassis) | 471700002726<br>16-18455-000 | <br> | 91035 | .... |
|-------|--|------------------------------|--|-------|------|

### M2

|       |  |   |  |      |  |
|-------|--|---|--|------|--|
| 05-21 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 |  | .... | <br> 91009 |
|-------|--|---|--|------|--|

### M2 100

|       |  |   |  |      |  |
|-------|--|---|--|------|--|
| 02-10 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 |  | .... | <br> 91009 |
|-------|--|---|--|------|--|

### M2 106

|       |  |   |  |      |  |
|-------|--|---|--|------|--|
| 25    | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>16-18708-000                                    |  | .... | <br> 91009 |
| 02-24 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 |  | .... | <br> 91009 |

### M2 112

|       |  |                              |  |       |      |
|-------|--|------------------------------|--|-------|------|
| 09-24 | Models with 12000 lb to 20000 Front Axle | 10-13809-000<br>471700003920 | <br> | 91011 | .... |
|-------|--|------------------------------|--|-------|------|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## FREIGHTLINER

## FREIGHTLINER

### M2 112 (cont)

|       |  |   |       |       |
|-------|--|---|-------|-------|
| 03-24 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....  | 91009 |
| 03-08 | Models with 12000 lb to 20000 Front Axle           | 10-13634-000<br>47170000449<br>10-13211-000<br>471700131155<br>10-12703-000     | 91035 | ....  |

### MC CHASSIS

|  |                                       |                              |       |      |
|--|---------------------------------------|------------------------------|-------|------|
|  | MC-L Chassis with 9,000 lb Suspension | 471700002726<br>16-18455-000 | 91035 | .... |
|--|---------------------------------------|------------------------------|-------|------|

### VARIOUS

|       |                                       |              |       |       |
|-------|---------------------------------------|--------------|-------|-------|
| 18-24 | Models with Freightliner S2RV chassis | 10-13976-000 | 91035 | ....  |
|       |                                       | 16-16764-000 | ....  | 91009 |

## FRUEHAUF

## FRUEHAUF

### COMPOSITE DRY BOX

|  |  |         |      |       |
|--|--|---------|------|-------|
|  | US Spec; With Hendrickson Vantraax HKANT 40K | S-24088 | .... | 91018 |
|--|--|---------|------|-------|

## GALLEGOS

## GALLEGOS

### TRAILER

|  |   |         |      |       |
|--|---|---------|------|-------|
|  | Hendrickson Trailer Intraax AAT23K, 25K and 30K, Standard with OEM Number | S-23566 | .... | 91018 |
|--|---|---------|------|-------|

## GREAT DANE TRAILER

## GREAT DANE TRAILER

### VARIOUS

|  |   |                          |      |       |
|--|---|--------------------------|------|-------|
|  | Trailers with Great Dane part number            | HENS-20002<br>HENS-23566 | .... | 91018 |
|  | Trailers with Great Dane part number Heavy Duty | HENS-24088               | .... | 91018 |

## HENDRICKSON TRAILER SUSPENSION SYSTEMS

## HENDRICKSON TRAILER SUSPENSION SYSTEMS

### ADDITIONAL APPLICATIONS

|  |                               |         |      |       |
|--|-------------------------------|---------|------|-------|
|  | AB-32-001 Models              | A-1667  | .... | 91018 |
|  | HS230 (Slider Air Suspension) | A-20002 | .... | 91018 |
|  | MT-45, MTL45, MTL-50          | S-1667  | .... | 91018 |

### INTRAAX

|  |   |         |      |       |
|--|---|---------|------|-------|
|  | AA230T & AA250T Models with O.E.M. Number                           | A-20002 | .... | 91018 |
|  | AAL 23K, 25K & 30K Models Front shocks with 12" Ride Height         | B-23566 | .... | 91018 |
|  | AANLS 20K - Standard with 12" Ride Height (Front Mounting)          | B-23566 | .... | 91018 |
|  | AANT 23K Models (Standard)  | B-23566 | .... | 91018 |
|  | AAT 23K Models (Standard)   | B-23566 | .... | 91018 |
|  | AAT 25K Models (Standard)   | B-23566 | .... | 91018 |
|  | AAT 30K (Standard)  | B-23566 | .... | 91018 |
|  | AAZL 23K / 46K Models with 12" Ride Height - Standard               | B-23566 | .... | 91018 |
|  | AAZNT 23K / 46K / 69K Models with 12" to 17" Ride Height - Standard | B-23566 | .... | 91018 |
|  | Low Ride Height Models with (10.5" to 15" Ride Height)              | B-23013 | .... | 91018 |

### TOP MOUNT STYLE

|  |                                       |         |      |       |
|--|---------------------------------------|---------|------|-------|
|  | HT230T All except Models listed below | A-20002 | .... | 91018 |
|--|---------------------------------------|---------|------|-------|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## HENDRICKSON TRAILER SUSPENSION SYSTEMS

## HENDRICKSON TRAILER SUSPENSION SYSTEMS

### UNDERSLUNG STYLE

|  |         |      |   |   |       |
|--|---------|------|---|---|-------|
| HT190U ( U-7.5-517 )                               | A-20002 | .... |  |  | 91018 |
| HT250U & N-HT250U (All except Models listed below) | A-20002 | .... |  |  | 91018 |
| HT250U & N-HT250U (U-7.5-021, U-7.5-022)           | A-1667  | .... |  |  | 91018 |
| HT250U-Y (All Models)                              | A-20002 | .... |  |  | 91018 |
| T-6-062, -295, -370, -422                          | A-1667  | .... |  |  | 91018 |

### VANTRAX

|                                   |                    |      |  |  |       |
|-----------------------------------|--------------------|------|--|--|-------|
| HKA180 Heavy Duty                 | S-24088<br>B-24088 | .... |   |   | 91018 |
| HKA200                            | B-23566<br>S-23566 | .... |   |   | 91018 |
| HKAL 46K Models                   | B-23566            | .... |   |   | 91018 |
| HKANT 40K Heavy Duty              | S-24088<br>B-24088 | .... |   |   | 91018 |
| HKANT 46K                         | B-23566<br>S-23566 | .... |   |   | 91018 |
| HKANT 69K23                       | S-23566            | .... |   |   | 91018 |
| HKARL 46K Drum Brake Applications | B-23566<br>S-23566 | .... |   |   | 91018 |
| HKAT 46K                          | B-23566<br>S-23566 | .... |   |   | 91018 |
| HKAT 69K23 Models                 | B-23566<br>S-23566 | .... |  |  | 91018 |

## INTERNATIONAL

## INTERNATIONAL

### 9200I SBA

|       |   |           |      |   |       |
|-------|---|-----------|------|---|-------|
| 04-09 | All models with 40,000 lb Rear Air Suspension | 3586883C1 | .... |  | 91032 |
|-------|---|-----------|------|---|-------|

### 9400I SBA

|       |   |           |      |   |       |
|-------|---|-----------|------|---|-------|
| 04-09 | All models with 40,000 lb Rear Air Suspension | 3586883C1 | .... |  | 91032 |
|-------|---|-----------|------|---|-------|

### 9900I

|       |   |           |      |   |       |
|-------|---|-----------|------|---|-------|
| 04-09 | All models with 40,000 lb Rear Air Suspension | 3586883C1 | .... |  | 91032 |
|-------|---|-----------|------|---|-------|

### 9900IX

|       |   |           |      |   |       |
|-------|---|-----------|------|---|-------|
| 04-09 | All models with 40,000 lb Rear Air Suspension | 3586883C1 | .... |  | 91032 |
|-------|---|-----------|------|---|-------|

### A, B, AC AND BC CONVENTIONAL

|   |           |   |   |       |
|---|-----------|---|---|-------|
| A-170, B-170, AC-170, ACF-170, BC-170, A-180, B-180, AC-180, BC-180, BCF-170 Models | 308646C91 |  | 91015   | ....  |
| C-150 Models  | 308668C91 |  | 91015   | ....  |
|   | 453556C91 | ....  |  | 91015 |

### BINDER

|        |  |   |       |      |
|--------|--|---|-------|------|
| Binder | 453556C91<br>471201C91<br>467983C91<br>467985C91 |  | 91015 | .... |
|--------|--|---|-------|------|

### CARGOSTAR

|   |  |      |   |       |
|---|--|------|---|-------|
| CO-1600, CO-1610A & B, CO-1630A & B, CO-1700, CO-1710A & B, CO-1730A & B, CO-1750, CO-1750A & B, CO-1800, CO-1810A & B, CO-1830A & B, CO-1850, and CO-1850A & B | 467983C91<br>360444C91<br>308646C91<br>453564C91 | .... |  | 91015 |
|---|--|------|---|-------|

### LOADSTAR - CONVENTIONAL

|   |   |   |       |      |
|---|---|---|-------|------|
| 1600, 1600 (4x4), 1610, 1610 (4x4), 1610FC, 1700, 1700 (4x4), 1710, 1710 (4x4), F-1700, 1750, 1800, 1810, F-1800, F-1800-D, 1850, F-1850, 1890 & 1890-D with 9000, 10800 or 12000 lb Front Axle | 471201C91<br>467983C91<br>360444C91<br>329316C92<br>453564C91 |  | 91015 | .... |
|---|---|---|-------|------|

# APPLICATION GUIDE

|      |               |      |   |
|------|---------------|------|---|
| Year | Fitment Notes | OEM# | <br>            |
|      |               |      |  RydeFX  RydeFX |

## INTERNATIONAL

### LOADSTAR - CONVENTIONAL (cont)

|  |   |   |       |   |
|--|---|---|-------|---|
|  | 1600, 1600 (4x4), 1610, 1610 (4x4), 1700, 1700 (4x4), 1710, 1710 (4x4), 1750, 1800, 1810, 1850, 1890 & 1890-D Models  | 467983C91<br>360444C91<br>329316C92<br>453564C91              | ....  |  91015 |
|  | 1600, 1600 (4x4), 1610, 1610 (4x4), 1700, 1700 (4x4), 1710, 1710 (4x4), F-1700, 1750, 1800, 1810, F-1800, F-1800-D, 1850, F-1850, 1890 & 1890-D Exc. Axle Codes 02054, 02057, 02059, 02089, 02091, 02098, 02101, 02109, 02139, 02208, 02218, 02228, 02309, 0232 | 453556C91<br>874695R92<br>874695R91<br>467985C91<br>308668C92 | 91015 | ....  |

## INTERNATIONAL

### LONESTAR

|       |   |  |       |   |
|-------|---|--|-------|---|
| 09-18 | Models with 12,350 lb Front Mono Leaf Spring Suspension | 3813341C1<br>3813341C4<br>3813341C3<br>3813341C2 | 91031 | ....  |
| 09-15 | All models with 40,000 lb Rear Air Suspension           | 3620395C1  | ....  |  91032 |

### LONESTAR - SERIES

|  |                                   |           |      |   |
|--|-----------------------------------|-----------|------|---|
|  | Day Cab Models with O.E.M. Number | 3688615C1 | .... |  91032 |
|--|-----------------------------------|-----------|------|---|

### METRO & MULTI-SHOP SERIES

|  |                               |   |       |   |
|--|-------------------------------|---|-------|---|
|  | M1600, MC1600, M1700 & MC1700 | 453556C91<br>874695R91<br>874696R91<br>308669C91<br>308668C91 | 91015 | ....  |
|  | MA1200, M1400, M1500, MA1500  | 453556C91<br>308669C91  | ....  |  91015 |

### PROSTAR

|       |   |                                     |       |   |
|-------|---|-------------------------------------|-------|---|
|       | Day Cab Models with O.E.M. Number                               | 3737576C1                           | ....  |  91032 |
|       | Models with 12,350 lb Front Mono Leaf Spring Suspension To 2013 | 3610198C1                           | 91031 | ....  |
|       | Models with O.E.M. Number                                       | 3821760C1<br>3688729C1<br>3688732C1 | ....  |  91032 |
| 09-18 | Models with 12,350 lb Front Mono Leaf Spring Suspension         | 3813341C4<br>3813341C3              | 91031 | ....  |
| 09-17 | All models with 40,000 lb Rear Air Suspension                   | 3620395C1<br>4050340C1<br>4050340C2 | ....  |  91032 |

### S SERIES SCHOOL BUS

|  |   |  |       |   |
|--|---|--|-------|---|
|  | 1603, 1703, 1803 & 1853   | 471201C91  | 91015 | ....  |
|  |   | 467983C91<br>306444C91<br>329316C92<br>453564C91 | ....  |  91015 |
|  | 1603, 1703, 1803 & 1853 - Exc. Axle Codes 02054, 02057, 02059, 02089, 02091, 02098, 02101, 02109, 02139, 02208, 02218, 02228, 02309, 02329, 02339 | 453556C91<br>874695R91<br>467985C91<br>308668C92 | 91015 | ....  |
|  | 1603, 1703, 1803 & 1853 with 9000, 10800 or 12000 lb Front Axle   | 320444C91<br>467983C91<br>329316C92<br>453564C91 | 91015 | ....  |

### SERIES 9200, 9200I - TRACTOR & STRAIGHT TRUCK

|  |   |           |      |   |
|--|---|-----------|------|---|
|  | Models with IAS Suspension w/ 9.25" or 9.5" Ride Height | 3573265C1 | .... |  91032 |
|--|---|-----------|------|---|

### SERIES 9300, 9300I, 9400 & 9400I LONG HOOD CONV.

|  |   |           |      |   |
|--|---|-----------|------|---|
|  | Models with IAS Suspension w/ 9.25" or 9.5" Ride Height | 3573265C1 | .... |  91032 |
|--|---|-----------|------|---|

### SERIES 9900, 9900I, 9900IX LONG HOOD CONV. TRUCK

|       |   |           |      |   |
|-------|---|-----------|------|---|
| 10-11 | Models with 40,000 lb Rear Air Suspension | 3586883C1 | .... |  91032 |
|-------|---|-----------|------|---|

### TERRASTAR

|  |   |           |      |   |
|--|---|-----------|------|---|
|  | Models with International IROS Air Suspension | 3892445C3 | .... |  91032 |
|--|---|-----------|------|---|

### VARIOUS

|  |                                |           |      |   |
|--|--------------------------------|-----------|------|---|
|  | Additional O.E.M. Interchanges | AMS650400 | .... |  91036 |
|--|--------------------------------|-----------|------|---|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## ISUZU

## ISUZU

### ADDITIONAL APPLICATIONS

|    |                   |                                |      |   |
|----|-------------------|--------------------------------|------|---|
| 85 | KS22 Models (All) | 9-51630-666-2<br>9-51630-666-0 | .... |  91015 |
|----|-------------------|--------------------------------|------|---|

### NPR

|       |     |  |      |   |
|-------|-----|--|------|---|
| 86-95 | All | 9-51630-666-2<br>51630666<br>9-51630-666-0 | .... |  91015 |
|-------|-----|--|------|---|

## JAYCO

## JAYCO

### SENECA

|       |                                       |              |   |   |
|-------|---------------------------------------|--------------|---|---|
| 25    | 37K, 37M, Freightliner S2RV           |              | ....  |  91009 |
| 18-24 | Models with Freightliner S2RV chassis | 10-13976-000 |  91035 | ....  |
|       |                                       | 16-16764-000 | ....  |  91009 |

### SENECA PRESTIGE

|       |                                       |              |   |   |
|-------|---------------------------------------|--------------|---|---|
| 21-24 | Models with Freightliner S2RV chassis | 10-13976-000 |  91035 | ....  |
| 21-23 | Models with Freightliner S2RV chassis | 16-16764-000 | ....  |  91009 |

## KENWORTH

## KENWORTH

### C500

|       |   |   |   |  |
|-------|---|---|---|--|
| 18-19 | Models with Taper Leaf Springs on Front Axle          | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012   | ....   |
| 01-16 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002                      | ....  |  91008 |
| 85-16 | Models with Taper Leaf Springs on Front Axle          | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | ....   |

### C540

|       |  |   |   |      |
|-------|--|---|---|------|
| 92-93 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | .... |
| 88-90 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | .... |

### C550

|       |  |   |   |      |
|-------|--|---|---|------|
| 85-94 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | .... |
|-------|--|---|---|------|

### ICON 900

|       |   |                           |   |   |
|-------|---|---------------------------|---|---|
| 16-17 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019                  |  91013 | ....  |
|       | Models with Air Glide 380 (AG380) Rear Air Suspension                         | C71-1016<br>C71-6015      | ....  |  91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension                         | C71-1014                  | ....  |  91020 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension                         | C71-1015<br>C71-1015 PLUS | ....  |  91038 |
|       | Models with Taper Leaf Springs on Front Axle                                  | B71-1002                  |  91012 | ....  |

### K100E

|       |  |   |   |      |
|-------|--|---|---|------|
| 05-06 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | .... |
| 85-03 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  91012 | .... |

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |  |  |
|------|---------------|------|---|---|
|      |               |      | RydeFX  | RydeFX  |

## KENWORTH

## KENWORTH

### K300

|       |  |   |   |       |      |
|-------|--|---|---|-------|------|
| 93-05 | Models with Taper Leaf Springs on Front Axle (1" Mounting bolts) | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  | 91012 | .... |
|-------|--|---|---|-------|------|

### T270

|       |   |                      |   |       |       |
|-------|---|----------------------|---|-------|-------|
| 24    | Models with AG210L Rear Air Suspension  | C71-1017<br>C71-1011 |  | ....  | 91007 |
| 20-23 | Models with Air Glide 400L (AG400L) Rear Air Suspension                       | C71-1017             |  | ....  | 91007 |
| 08-23 | Models with AG210L Rear Air Suspension  | C71-1017<br>C71-1011 |  | ....  | 91007 |
| 15-22 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019             |  | 91013 | ....  |
|       | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020             |  | 91013 | ....  |

### T280

|       |  |          |   |       |      |
|-------|--|----------|---|-------|------|
| 21-24 | Models with 10,000 lb to 12,000 lb Mono-leaf front springs | B71-6019 |  | 91013 | .... |
|-------|--|----------|---|-------|------|

### T300

|  |  |   |   |       |      |
|--|--|---|---|-------|------|
|  | Models with Taper Leaf Springs on Front Axle (1" Mounting bolts) | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  | 91012 | .... |
|--|--|---|---|-------|------|

### T370

|       |   |                      |   |       |       |
|-------|---|----------------------|---|-------|-------|
| 20-23 | Models with Air Glide 400L (AG400L) Rear Air Suspension                       | C71-1017             |    | ....  | 91007 |
| 08-23 | Models with AG210L Rear Air Suspension  | C71-1017<br>C71-1011 |   | ....  | 91007 |
| 15-22 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019             |  | 91013 | ....  |
|       | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020             |  | 91013 | ....  |

### T380

|       |   |                                  |   |       |       |
|-------|---|----------------------------------|---|-------|-------|
| 22-25 | Models with 14,000 Taperleaf Springs                    | B71-6020                         |  | 91013 | ....  |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension | 03-08781<br>C71-1017<br>C71-1011 |  | ....  | 91007 |
| 22-24 | Models with 10,000 lb to 14,600 lb Taperleaf Springs    | B71-6019                         |  | 91013 | ....  |

### T400

|       |  |   |   |       |      |
|-------|--|---|---|-------|------|
| 10-22 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  | 91012 | .... |
| 89-99 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  | 91012 | .... |

### T440

|       |  |                                     |   |       |       |
|-------|--|-------------------------------------|---|-------|-------|
| 12-22 | Models with 12,000 to 20,000 lb Taperleaf Front Suspension | 665858<br>B71-1001                  |  | 91014 | ....  |
| 12-21 | Models with Air Glide 380 (AG380) Rear Air Suspension      | C71-1016<br>C71-1002<br>C71-6015    |  | ....  | 91008 |
| 11-21 | Models with Air Glide 400L (AG400L) Rear Air Suspension    | C71-1017<br>C71-1011                |  | ....  | 91007 |
| 12-20 | Models with Air Glide 460 (AG460) Rear Air Suspension      | 671963<br>C71-1015<br>C71-1015 PLUS |  | ....  | 91038 |
| 12-19 | Models with Air Glide 400 (AG400) Rear Air Suspension      | 671962<br>C71-1014                  |  | ....  | 91020 |

### T450

|       |  |   |   |       |      |
|-------|--|---|---|-------|------|
| 93-97 | Models with Taper Leaf Springs on Front Axle | B71-1002<br>K374-16<br>K374-27<br>K374-26 |  | 91012 | .... |
|-------|--|---|---|-------|------|

### T470

|       |  |                    |   |       |      |
|-------|--|--------------------|---|-------|------|
| 10-21 | Models with 12,000 to 20,000 lb Taperleaf Front Suspension | 665858<br>B71-1001 |  | 91014 | .... |
|-------|--|--------------------|---|-------|------|

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |   |  |
|------|---------------|------|---|--|
|      |               |      |  RydeFX  |  RydeFX |

## KENWORTH

## KENWORTH

### T470 (cont)

|       |   |                                     |      |        |       |
|-------|---|-------------------------------------|------|--------|-------|
| 10-21 | Models with Air Glide 400L (AG400L) Rear Air Suspension | C71-1017<br>C71-1011                | .... | I<br>T | 91007 |
| 10-19 | Models with Air Glide 380 (AG380) Rear Air Suspension   | C71-1016<br>C71-1002<br>C71-6015    | .... | O<br>O | 91008 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension   | 671963<br>C71-1015<br>C71-1015 PLUS | .... | O<br>T | 91038 |
| 10-17 | Models with Air Glide 400 (AG400) Rear Air Suspension   | 671962<br>C71-1014                  | .... | O<br>O | 91020 |

### T480

|       |   |                                  |             |        |       |
|-------|---|----------------------------------|-------------|--------|-------|
| 22-25 | Models with 10,000 lb to 14,600 lb Taperleaf Springs                          | B71-6019                         | O<br>O      | 91013  | ....  |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension                       | 03-08781<br>C71-1017<br>C71-1011 | ....        | I<br>T | 91007 |
|       | Models with Air Glide AG400   | C71-1014                         | ....        | O<br>O | 91020 |
| 22-24 | Models with 10,000 lb to 12,000 lb Mono-leaf front springs                    | B71-6019                         | O<br>O<br>O | 91013  | ....  |
|       | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020                         | O<br>O      | 91013  | ....  |

### T600, T600B, T602

|       |   |                    |        |        |       |
|-------|---|--------------------|--------|--------|-------|
| 05-07 | Models with 13,000 lb Front Axle                      | 665858<br>B71-1001 | O<br>O | 91014  | ....  |
| 01-07 | Models with Air Glide 400 (AG400) Rear Air Suspension | 671962<br>C71-1014 | ....   | O<br>O | 91020 |

### T600, T600B, T602

|       |   |                      |      |        |       |
|-------|---|----------------------|------|--------|-------|
| 01-07 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002 | .... | O<br>O | 91008 |
|-------|---|----------------------|------|--------|-------|

### T600A

|       |   |   |             |        |       |
|-------|---|---|-------------|--------|-------|
| 05-08 | Models with 13,000 lb Front Axle                      | 665858<br>B71-1001                              | O<br>O      | 91014  | ....  |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension | 671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 | ....        | O<br>T | 91038 |
| 01-08 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002                            | ....        | O<br>O | 91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension | 671962<br>C71-1014                              | ....        | O<br>O | 91020 |
| 86-08 | Models with Taper Leaf Springs on Front Axle          | B71-1002<br>K374-16<br>K374-27<br>K374-26       | O<br>O<br>O | 91012  | ....  |

### T660

|       |   |   |        |        |       |
|-------|---|---|--------|--------|-------|
| 07-20 | Models with 12,000 or 13,200 lb Front Axle              | 665858<br>B71-1001                              | O<br>O | 91014  | ....  |
|       | Models with Air Glide 380 (AG380) Rear Air Suspension   | C71-1016<br>C71-1002<br>C71-6015                | ....   | O<br>O | 91008 |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension | 03-08781<br>C71-1017<br>C71-1011                | ....   | I<br>T | 91007 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension   | 671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 | ....   | O<br>T | 91038 |
| 13-18 | Models with Air Glide 400 (AG400) Rear Air Suspension   | 671962<br>C71-1014                              | ....   | O<br>O | 91020 |

### T680

|       |   |                                  |        |        |       |
|-------|---|----------------------------------|--------|--------|-------|
| 14-24 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019                         | O<br>O | 91013  | ....  |
| 13-24 | Models with Air Glide 400 (AG400) Rear Air Suspension                         | 671962<br>C71-1014               | ....   | O<br>O | 91020 |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension                       | C71-1017<br>C71-1011             | ....   | I<br>T | 91007 |
| 11-24 | Models with Air Glide 380 (AG380) Rear Air Suspension                         | C71-1016<br>C71-1002<br>C71-6015 | ....   | O<br>O | 91008 |

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |  |  |
|------|---------------|------|---|---|
|      |               |      | RydeFX  | RydeFX  |

## KENWORTH

## KENWORTH

### T680 (cont)

|       |   |   |    |       |          |
|-------|---|---|----|-------|----------|
| 14-23 | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020  | OO | 91013 | ....     |
| 11-23 | Models with Air Glide 460 (AG460) Rear Air Suspension                         | 671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 |    | ....  | OT 91038 |

### T700

|       |   |                                  |    |       |          |
|-------|---|----------------------------------|----|-------|----------|
| 11-16 | Models with 13,000 lb Front Axle                        | 665858<br>B71-1001               | OO | 91014 | ....     |
|       | Models with Air Glide 380 (AG380) Rear Air Suspension   | C71-1016<br>C71-1002<br>C71-6015 |    | ....  | OO 91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension   | 671962<br>C71-1014               |    | ....  | OO 91020 |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension | 03-08781<br>C71-1017<br>C71-1011 |    | ....  | IT 91007 |

### T800

|       |   |   |    |       |          |
|-------|---|---|----|-------|----------|
| 08-23 | Models with Air Glide 400L (AG400L) Rear Air Suspension | C71-1017<br>C71-1011                            |    | ....  | IT 91007 |
| 05-23 | Models with 12,000 to 20,000 lb Front Axles             | 665858<br>B71-1001                              | OO | 91014 | ....     |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension   | 671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 |    | ....  | OT 91038 |
| 01-23 | Models with Air Glide 380 (AG380) Rear Air Suspension   | C71-1016<br>C71-1002<br>C71-6015                |    | ....  | OO 91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension   | 671962<br>C71-1014                              |    | ....  | OO 91020 |
| 10-22 | Models with Taper Leaf Springs on Front Axle            | B71-1002<br>K374-16<br>K374-27<br>K374-26       | OO | 91012 | ....     |
| 87-99 | Models with Taper Leaf Springs on Front Axle            | B71-1002<br>K374-16<br>K374-27<br>K374-26       | OO | 91012 | ....     |

### T800, T800B, T800B(8X4), T800SH, T800H, T800W

|       |   |                    |  |      |          |
|-------|---|--------------------|--|------|----------|
| 10-21 | Models with Air Glide 400 (AG400) Rear Air Suspension | 671962<br>C71-1014 |  | .... | OO 91020 |
|-------|---|--------------------|--|------|----------|

### T800B, T800B(8X4), T800SH, T800H, T800W

|       |   |                                  |  |      |          |
|-------|---|----------------------------------|--|------|----------|
| 07-09 | Models with Air Glide 400 (AG400) Rear Air Suspension | 671962<br>C71-1014               |  | .... | OO 91020 |
| 01-09 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002<br>C71-6015 |  | .... | OO 91008 |

### T880

|       |  |  |    |       |          |
|-------|--|--|----|-------|----------|
| 14-25 | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles                    | B71-6020   | OO | 91013 | ....     |
| 11-24 | Models with Air Glide 380 (AG380) Rear Air Suspension  | C71-1016<br>C71-1002<br>C71-6015                             |    | ....  | OO 91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension  | 671962<br>C71-1014   |    | ....  | OO 91020 |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension  | C71-1017   |    | ....  | IT 91007 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension  | C71-1015A<br>671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 |    | ....  | OT 91038 |
| 14-23 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles                    | B71-6019   | OO | 91013 | ....     |
| 23    | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6011   | OO | 91000 | ....     |

### T880S

|    |   |          |    |       |      |
|----|---|----------|----|-------|------|
| 25 | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020 | OO | 91013 | .... |
|----|---|----------|----|-------|------|

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## KENWORTH T2000

## KENWORTH

|       |   |   |   |   |
|-------|---|---|---|---|
| 06-11 | Models with 13,000 lb Front Axle                      | 665858<br>B71-1001                        | <input type="checkbox"/> <input type="checkbox"/> 91014 | <input type="checkbox"/> .....                          |
| 05-11 | Models with Air Glide 400 (AG400) Rear Air Suspension | 671962<br>C71-1014                        | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91020 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension | 671963                                    | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91038 |
| 01-11 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002                      | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91008 |
| 97-11 | Models with Taper Leaf Springs on Front Axle          | B71-1002<br>K374-16<br>K374-27<br>K374-26 | <input type="checkbox"/> <input type="checkbox"/> 91012 | <input type="checkbox"/> .....                          |

## W900

|       |  |   |   |   |
|-------|--|---|---|---|
| 10-24 | Models with Taper Leaf Springs on Front Axle   | B71-1002<br>K374-16<br>K374-27<br>K374-26       | <input type="checkbox"/> <input type="checkbox"/> 91012 | <input type="checkbox"/> .....                          |
| 08-24 | Models with Air Glide 400L (AG400L) Rear Air Suspension  | C71-1017<br>C71-1011                            | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91007 |
| 05-24 | Models with Air Glide 460 (AG460) Rear Air Suspension  | 671963<br>C71-1015<br>C71-1015 PLUS<br>671963-2 | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91038 |
| 04-24 | Models with Air Glide 400 (AG400) Rear Air Suspension  | 671962<br>C71-1014                              | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91020 |
| 05-22 | Models with 12,000 or 13,200 lb Front Axle   | 665858<br>B71-1001                              | <input type="checkbox"/> <input type="checkbox"/> 91014 | <input type="checkbox"/> .....                          |
| 01-21 | Models with Air Glide 380 (AG380) Rear Air Suspension  | C71-1016<br>C71-1002<br>C71-6015                | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91008 |
| 18-20 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6011  | <input type="checkbox"/> <input type="checkbox"/> 91000 | <input type="checkbox"/> .....                          |
| 87-99 | Models with Taper Leaf Springs on Front Axle   | B71-1002<br>K374-16<br>K374-27<br>K374-26       | <input type="checkbox"/> <input type="checkbox"/> 91012 | <input type="checkbox"/> .....                          |

## W900, W900B, W900L, W900S

|       |  |                    |   |   |
|-------|--|--------------------|---|---|
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. To 2020 | B71-6011           | <input type="checkbox"/> <input type="checkbox"/> 91000 | <input type="checkbox"/> .....                          |
| 05-21 | Models with Air Glide 400 (AG400) Rear Air Suspension  | 671962<br>C71-1014 | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91020 |

## W900B, W900L, W900S

|       |   |                                  |                                |   |
|-------|---|----------------------------------|--------------------------------|---|
| 01-21 | Models with Air Glide 380 (AG380) Rear Air Suspension | C71-1016<br>C71-1002<br>C71-6015 | <input type="checkbox"/> ..... | <input type="checkbox"/> <input type="checkbox"/> 91008 |
|-------|---|----------------------------------|--------------------------------|---|

## W990

|       |  |                                       |   |   |
|-------|--|---------------------------------------|---|---|
| 19-24 | Models with 14,600 lb Taperleaf Front Spring Suspension  | B71-6013                              | <input type="checkbox"/> <input type="checkbox"/> 91015 | <input type="checkbox"/> .....                          |
|       | Models with Air Glide 380 (AG380) Rear Air Suspension  | C71-6015                              | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91008 |
|       | Models with Air Glide 400 (AG400) Rear Air Suspension  | C71-1014                              | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91020 |
|       | Models with Air Glide 400L (AG400L) Rear Air Suspension  | C71-1017                              | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91007 |
|       | Models with Air Glide 460 (AG460) Rear Air Suspension  | C71-1015<br>C71-1015 PLUS<br>671963-2 | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91038 |
| 23    | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6011                              | <input type="checkbox"/> <input type="checkbox"/> 91000 | <input type="checkbox"/> .....                          |

## MACK

## MACK

### ANTHEM

|       |  |                                      |   |   |
|-------|--|--------------------------------------|---|---|
| 21-24 | Anthem 64T Models with 12,000 to 12,500 lb Front Axles | 23292027                             | <input type="checkbox"/> <input type="checkbox"/> 91033 | <input type="checkbox"/> .....                          |
| 18-24 | Models with 13,200 to 14,600 lb Front Axles            | 141700005839<br>21436096<br>23292028 | <input type="checkbox"/> <input type="checkbox"/> 91033 | <input type="checkbox"/> .....                          |
| 18-20 | Anthem 64T Models with 40,000 lb Rear Air Suspensions  | 22202560<br>471700009647             | <input type="checkbox"/> .....                          | <input type="checkbox"/> <input type="checkbox"/> 91016 |

### CH

|       |                                   |                        |   |                                |
|-------|-----------------------------------|------------------------|---|--------------------------------|
| 89-05 | CH600 Models with ST34 Suspension | 25622466<br>14QK-2133M | <input type="checkbox"/> <input type="checkbox"/> 91012 | <input type="checkbox"/> ..... |
|-------|-----------------------------------|------------------------|---|--------------------------------|

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |  |  |
|------|---------------|------|---|---|
|      |               |      | RydeFX  | RydeFX  |

## MACK

## MACK

### CHN

|       |  |   |   |   |
|-------|--|---|---|---|
| 04-07 | CHN-613 Models w/ MACK Air Suspension    | SDA471700000431<br>14QK-3101M<br>471700000431 | ....  |  91034 |
|       | CHN-613 Models with 12,000 lb Front Axle | 20973993<br>14QK-3107M                        |  91033 | ....  |

### CHU

|       |  |                          |      |   |
|-------|--|--------------------------|------|---|
| 11-19 | CHU-613 Models with 40,000 lb Rear Air Suspensions | 22202560<br>471700009647 | .... |  91016 |
| 07    | CHU-613 Models with 40,000 lb Rear Air Suspensions | 14QK-2136M<br>20897198   | .... |  91033 |

### CL

|       |  |   |   |      |
|-------|--|---|---|------|
| 91-07 | CL600, CL700 Models with ST34 Suspension | 25632145<br>25622466<br>25621955<br>14QK-2133M<br>14QK-2113 |  91012 | .... |
|-------|--|---|---|------|

### CX

|       |  |   |   |   |
|-------|--|---|---|---|
| 98-05 | CX Vision Models w/ Hendrickson Air Suspension | 14QK-431M                                     | ....  |  91033 |
|       | CX Vision Models w/ Parabolic Spring           | 14QK-431M                                     | ....  |  91033 |
|       | CX Vision Models w/ MACK Air Suspension        | SDA471700000431<br>14QK-3101M<br>471700000431 | ....  |  91034 |
|       | Models with O.E.M. Number                      | 141700000373<br>20513881                      |  91033 | ....  |

### CXN

|       |  |   |   |   |
|-------|--|---|---|---|
| 05-08 | CXN-613 Models with 12,000 lb Front Axles          | SDA141700000380<br>20973993<br>14QK-3114M |  91033 | ....  |
| 08    | CXN-613 Models with 40,000 lb Rear Air Suspensions | 14QK-2136M<br>20897198                    | ....  |  91033 |
| 05-07 | CXN-613 Models w/ MACK Air Suspension              | SDA471700000431<br>14QK-3101M             | ....  |  91034 |

### CXP

|       |  |   |   |   |
|-------|--|---|---|---|
| 06-07 | CXP-613 Models with 12,000 lb Front Axles          | SDA141700000380<br>20973993<br>14QK-3114M |  91033 | ....  |
|       | CXP-613 Models with 40,000 lb Rear Air Suspensions | 14QK-2136M<br>471700002626<br>20897198    | ....  |  91033 |

### CXU

|       |   |  |   |   |
|-------|---|--|---|---|
| 11-19 | CXU613 Models with 40,000 lb Rear Air Suspensions | 21462382<br>22202559<br>21462384<br>22202560<br>471700009647<br>471700006039<br>471700009646 | ....  |  91016 |
| 08-19 | Models with 12,000 - 14,600 lb Front Axles        | 141700005839<br>SDA141700000380<br>20973993<br>21436096<br>141700000380<br>14QK-3114M        |  91033 | ....  |

### MH

|       |                              |  |   |      |
|-------|------------------------------|--|---|------|
| 83-94 | MH Models with O.E.M. Number | 14QK-2133M2<br>14QK-2113P5<br>25622466<br>14QK-2133M |  91012 | .... |
|-------|------------------------------|--|---|------|

### R

|       |                                |                        |   |      |
|-------|--------------------------------|------------------------|---|------|
| 83-85 | RD Models with ST34 Suspension | 25622466<br>14QK-2133M |  91012 | .... |
|-------|--------------------------------|------------------------|---|------|

### RW

|       |                              |  |   |      |
|-------|------------------------------|--|---|------|
| 85-93 | RW Models with O.E.M. Number | 14QK-2133M2<br>14QK-2113P5<br>25622466<br>14QK-2133M |  91012 | .... |
|-------|------------------------------|--|---|------|

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## MC NEILUS TRUCK & MAN. VARIOUS

## MC NEILUS TRUCK & MAN.

|  |                       |            |      |   |
|--|-----------------------|------------|------|---|
|  | Mc Neilus part number | 6KP857 MTM | .... |  91018 |
|--|-----------------------|------------|------|---|

## NEXUS

## NEXUS

### WRAITH

|    |                   |  |      |   |
|----|-------------------|--|------|---|
| 26 | Freightliner S2RV |  | .... |  91009 |
|----|-------------------|--|------|---|

## ORION BUS

## ORION BUS

### VARIOUS

|  |          |             |      |   |
|--|----------|-------------|------|---|
|  | Orion II | 020273541-4 | .... |  91018 |
|--|----------|-------------|------|---|

## PETERBILT

## PETERBILT

### 220

|    |                                  |                                   |   |       |      |
|----|----------------------------------|-----------------------------------|---|-------|------|
| 13 | Models with 12,000 lb Front Axle | B71-6016A<br>B71-6016<br>02-02738 |  | 91015 | .... |
| 10 | Models with 12,000 lb Front Axle | B71-6016A<br>B71-6016<br>02-02738 |  | 91015 | .... |
| 07 | Models with 12,000 lb Front Axle | B71-6016A<br>B71-6016<br>02-02738 |  | 91015 | .... |

### 320

|       |  |                                  |   |   |      |
|-------|--|----------------------------------|---|---|------|
| 14-18 | Models with Air Trac Suspension (40,000 lb)  | C71-6003                         | ....  |  91037  | .... |
| 02-18 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011 | ....  |  91007 | .... |
| 01-18 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011             |  | 91000   | .... |
| 87-18 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>02-02737<br>02-01787 |  | 91000   | .... |

### 325

|       |  |                                   |   |       |      |
|-------|--|-----------------------------------|---|-------|------|
| 08-19 | Models with 12000 lb Set Back Front Axle | B71-6016A<br>B71-6016<br>02-02738 |  | 91015 | .... |
|-------|--|-----------------------------------|---|-------|------|

### 330

|       |   |                                   |   |   |      |
|-------|---|-----------------------------------|---|---|------|
| 16-22 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019                          |  | 91013   | .... |
| 07-22 | Models with Peterbilt Low Air Leaf Suspension                                 | 03-08781<br>C71-1017<br>C71-1011  | ....  |  91007 | .... |
| 14-21 | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003                          | ....  |  91037 | .... |
| 07-16 | Models with 12000 lb Set Back Front Axle                                      | B71-6016A<br>B71-6016<br>02-02738 |  | 91015   | .... |
| 03-05 | Models with Peterbilt Low Air Leaf Suspension                                 | 03-08781<br>C71-1017<br>C71-1011  | ....  |  91007 | .... |
| 95-05 | Models with 12000 lb Set Back Front Axle                                      | B71-6016A<br>B71-6016<br>02-02738 |  | 91015   | .... |
| 95-02 | Models with Peterbilt 40000 lb Low Air Leaf Suspension                        | 03-07423                          | ....  |  91036 | .... |

### 335

|       |   |   |   |   |      |
|-------|---|---|---|---|------|
| 05-10 | Models with 12000 lb Set Back Front Axle      | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  | 91015   | .... |
|       | Models with Peterbilt Low Air Leaf Suspension | 03-08781<br>C71-1017<br>C71-1011              | ....  |  91007 | .... |

### 337

|       |   |          |   |       |      |
|-------|---|----------|---|-------|------|
| 15-23 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019 |  | 91013 | .... |
|-------|---|----------|---|-------|------|

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## PETERBILT

## PETERBILT

### 337 (cont)

|       |   |                                  |      |   |
|-------|---|----------------------------------|------|---|
| 10-23 | Models with Peterbilt Low Air Leaf Suspension | 03-08781<br>C71-1017<br>C71-1011 | .... |  91007 |
| 14-21 | Models with Air Trac Suspension (40,000 lb)   | C71-6003                         | .... |  91037 |

### 340

|       |  |   |   |      |
|-------|--|---|---|------|
| 07-10 | Models with 12000 lb Set Back Front Axle | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | .... |
|-------|--|---|---|------|

### 348

|       |   |          |   |   |
|-------|---|----------|---|---|
| 14-23 | Models with 20,000 lb Taperleaf Springs and Set Back Front Axles              | B71-6020 |  91013 | ....  |
| 14-22 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019 |  91013 | ....  |
| 14-21 | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003 | ....  |  91037 |

### 357

|       |  |   |   |   |
|-------|--|---|---|---|
| 02-08 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017                                      | ....  |  91007   |
| 87-08 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-01890<br>02-02738 |  91015 | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737                          |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                                      |  91000 | ....  |
| 87-01 | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423  | ....  |  91036 |

### 362

|       |   |                                   |   |   |
|-------|---|-----------------------------------|---|---|
| 02-06 | Models with Peterbilt Low Air Leaf Suspension | 03-08781<br>C71-1017              | ....  |  91007 |
| 81-06 | C.O.E. Models with Progressive Springs        | B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
| 81-01 | Models with Peterbilt Low Air Leaf Suspension | 665633<br>03-07423                | ....  |  91036 |

### 365

|       |  |  |   |   |
|-------|--|--|---|---|
| 08-23 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-6005<br>C71-1011 | ....  |  91007 |
| 08-22 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                         |  91000 | ....  |
| 14-21 | Models with Air Trac Suspension (40,000 lb)  | C71-6003                                     | ....  |  91037 |
| 08-20 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6007                                     |  91000 | ....  |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  |  91008 |
| 08-15 | Models with 12,000 lb to 16,000 lb Taperleaf Front Suspension (Set-Back Axle)                    | B71-6002<br>B71-6013                         |  91015 | ....  |

### 367

|       |  |                                  |   |   |
|-------|--|----------------------------------|---|---|
| 14-24 | Models with Air Trac Suspension (40,000 lb)  | C71-6003                         | ....  |  91037 |
| 08-24 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6007<br>02-02742<br>B71-6011 |  91000 | ....  |
| 08-23 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011 | ....  |  91007 |
| 14-20 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009                         |  91000 | ....  |

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## PETERBILT

## PETERBILT

### 367 (cont)

|       |  |  |   |   |
|-------|--|--|---|---|
| 08-20 | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  |  91008 |
| 08-16 | Models with 10,000 lb to 16,000 lb Taperleaf Front Spring Suspension and with Set Back Front Axle. | B71-6016<br>B71-6002                         |  91015 | ....  |

### 372

|       |   |                                   |   |   |
|-------|---|-----------------------------------|---|---|
| 89-93 | C.O.E. Models with Front Spring Suspension    | B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension | 665633<br>03-07423                | ....  |  91036 |

### 375

|       |  |   |   |   |
|-------|--|---|---|---|
| 87-96 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423                            | ....  |  91036 |

### 376

|       |  |   |   |   |
|-------|--|---|---|---|
| 02    | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000  | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
| 00    | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
| 99    | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423                            | ....  |  91036 |
| 95-96 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
| 94-96 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423                            | ....  |  91036 |
| 88-92 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423                            | ....  |  91036 |
| 92    | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |
| 88-90 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737              |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          |  91000 | ....  |

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## PETERBILT

## PETERBILT

### 377

|       |  |                                  |             |       |  |       |
|-------|--|----------------------------------|-------------|-------|--|-------|
| 87-01 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>02-02738             | O<br>O      | 91015 |  | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737 | O<br>O<br>O | 91000 |  | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011             | O<br>O      | 91000 |  | ....  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423               |             | ....  |  | 91036 |

### 378

|       |  |   |             |       |        |       |
|-------|--|---|-------------|-------|--------|-------|
| 03-07 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017                          |             | ....  |        | 91007 |
| 99-07 | Models with FlexAir Suspension (38000 lb)  | C71-1002<br>C71-6000                          |             | ....  | O<br>O | 91008 |
| 88-07 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 | O<br>O      | 91015 |        | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737<br>02-01787  | O<br>O<br>O | 91000 |        | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                          | O<br>O      | 91000 |        | ....  |
| 88-02 | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423                            |             | ....  |        | 91036 |

### 379

|       |  |   |             |       |        |       |
|-------|--|---|-------------|-------|--------|-------|
| 03-07 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011                          |             | ....  |        | 91007 |
| 99-07 | Models with FlexAir Suspension (38000 lb)  | C71-1002<br>C71-6000                                      |             | ....  | O<br>O | 91008 |
| 86-07 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-01890<br>02-02738 | O<br>O      | 91015 |        | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737<br>02-01787              | O<br>O<br>O | 91000 |        | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                                      | O<br>O      | 91000 |        | ....  |
| 86-02 | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423  |             | ....  |        | 91036 |

### 382

|       |  |  |        |       |        |       |
|-------|--|--|--------|-------|--------|-------|
| 11-17 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. | B71-6009<br>02-02737                         | O<br>O | 91000 |        | ....  |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 |        | ....  | O<br>O | 91008 |
|       | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011             |        | ....  |        | 91007 |

### 384

|       |   |  |        |       |        |       |
|-------|---|--|--------|-------|--------|-------|
| 08-16 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. (Heavy Duty) | B71-6009<br>02-02737                         | O<br>O | 91000 |        | ....  |
|       | Models with FlexAir Suspension (38000 lb)   | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 |        | ....  | O<br>O | 91008 |
|       | Models with Peterbilt Low Air Leaf Suspension   | 03-08781<br>C71-1017<br>C71-1011             |        | ....  |        | 91007 |

### 385

|  |  |                                  |        |       |  |      |
|--|--|----------------------------------|--------|-------|--|------|
|  | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. To 2007       | B71-6009<br>B71-6007<br>02-02737 | O<br>O | 91000 |  | .... |
|  | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. To 2007 | 02-02742<br>B71-6011             | O<br>O | 91000 |  | .... |

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## PETERBILT

## PETERBILT

### 385 (cont)

|       |  |   |   |   |
|-------|--|---|---|---|
| 04-07 | Models with Peterbilt Low Air Leaf Suspension                            | 03-08781<br>C71-1017                          | ....  |  91007 |
| 95-07 | Conventional Models with Spring Suspension and with Set Back Front Axle. | 02-02741<br>B71-6016A<br>B71-6016<br>02-02738 |  91015 | ....  |
|       | Models with FlexAir Suspension (38000 lb)                                | C71-1002<br>C71-6000                          | ....  |  91008 |
| 95-02 | Models with Peterbilt Low Air Leaf Suspension                            | 665633<br>03-07423                            | ....  |  91036 |

### 386

|       |  |   |   |  |
|-------|--|---|---|--|
| 13-16 | Models with Air Trac Suspension (40,000 lb)  | C71-6003  | ....  |  91037  |
| 06-16 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-02741<br>B71-6016A<br>B71-6016<br>02-04010<br>B71-6018<br>02-02738 |  91015 | ....   |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737                                      |  91000 | ....   |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011  |  91000 | ....   |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000                          | ....  |  91008  |
|       | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011                                      | ....  |  91007 |

### 387

|       |  |   |   |   |
|-------|--|---|---|---|
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. To 2011       | B71-6009<br>B71-6007<br>02-02737                                      |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. To 2011 | 02-02742<br>B71-6011  |  91000 | ....  |
| 03-11 | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011                                      | ....  |  91007 |
| 00-11 | Conventional Models with Spring Suspension and with Set Back Front Axle.                                 | 02-02741<br>B71-6016A<br>B71-6016<br>02-04010<br>B71-6018<br>02-02738 |  91015 | ....  |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1002<br>C71-6000  | ....  |  91008 |
| 00-02 | Models with Peterbilt Low Air Leaf Suspension  | 665633<br>03-07423  | ....  |  91036 |

### 388

|       |   |  |   |   |
|-------|---|--|---|---|
| 14-15 | Models with Air Trac Suspension (40,000 lb)   | C71-6003                                     | ....  |  91037 |
| 13-15 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. (Heavy Duty) | B71-6009                                     |  91000 | ....  |
| 08-15 | Conventional Models with Spring Suspension and with Set Back Front Axle.                                | 02-04010<br>B71-6018                         |  91015 | ....  |
|       | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              | B71-6007                                     |  91000 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        | 02-02742<br>B71-6011                         |  91000 | ....  |
|       | Models with FlexAir Suspension (38000 lb)   | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  |  91008 |
|       | Models with Peterbilt Low Air Leaf Suspension   | 03-08781<br>C71-1017<br>C71-1011             | ....  |  91007 |

### 389

|       |   |          |      |   |
|-------|---|----------|------|---|
| 14-24 | Models with Air Trac Suspension (40,000 lb) | C71-6003 | .... |  91037 |
|-------|---|----------|------|---|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## PETERBILT

## PETERBILT

### 389 (cont)

|       |  |  |   |       |   |
|-------|--|--|---|-------|---|
| 08-24 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009<br>B71-6007<br>02-02737             |  | 91000 | ....  |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  | ....  |  91008 |
|       | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-6005<br>C71-1011 | ....  | ....  |  91007 |
| 08-23 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | 02-02742<br>B71-6011                         |  | 91000 | ....  |
| 08-21 | Conventional Models with Spring Suspension and with Set Back Front Axle.                         | 02-04010<br>B71-6018<br>B71-6013             |  | 91015 | ....  |

### 520

|       |  |                      |   |       |   |
|-------|--|----------------------|---|-------|---|
| 17-24 | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6011             |  | 91000 | ....  |
| 17-23 | Models with Peterbilt Low Air Leaf Suspension  | C71-1017<br>C71-1011 | ....  | ....  |  91007 |
| 17-22 | Models with Air Trac Suspension (40,000 lb)  | C71-6003             | ....  | ....  |  91037 |

### 536

|       |   |          |   |       |   |
|-------|---|----------|---|-------|---|
| 22-24 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019 |  | 91013 | ....  |
|       | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003 | ....  | ....  |  91037  |
|       | Models with Peterbilt Low Air Leaf Suspension                                 | C71-1017 | ....  | ....  |  91007 |

### 537

|       |   |           |   |       |   |
|-------|---|-----------|---|-------|---|
| 22-25 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019  |  | 91013 | ....  |
|       | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003  | ....  | ....  |  91037 |
|       | Models with Peterbilt Low Air Leaf Suspension                                 | C71-1017  | ....  | ....  |  91007 |
| 25    | Models with 16,000 lb to 20,000 lb Taperlead Springs and Set Back Front Axles | B671-6020 |  | 91013 | ....  |
| 22    | Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles | B71-6020  |  | 91013 | ....  |

### 548

|       |   |          |   |       |   |
|-------|---|----------|---|-------|---|
| 22-25 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019 |  | 91013 | ....  |
|       | Models with 20,000 lb Taperleaf Springs and Set Back Front Axles              | B71-6020 |  | 91013 | ....  |
|       | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003 | ....  | ....  |  91037 |
|       | Models with Peterbilt Low Air Leaf Suspension                                 | C71-6005 | ....  | ....  |  91007 |

### 567

|       |  |                      |   |       |   |
|-------|--|----------------------|---|-------|---|
| 14-24 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.       | B71-6009             |  | 91000 | ....  |
|       | Models with Air Trac Suspension (40,000 lb)  | C71-6003             | ....  | ....  |  91037 |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-6015 | ....  | ....  |  91008 |
|       | Models with Peterbilt Low Air Leaf Suspension  | C71-1017<br>C71-6005 | ....  | ....  |  91007 |
| 14-23 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles                    | B71-6019             |  | 91013 | ....  |
|       | Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. | B71-6011             |  | 91000 | ....  |
|       | Models with 20,000 lb Taperleaf Springs and Set Back Front Axles                                 | B71-6020             |  | 91013 | ....  |

### 579

|       |   |          |   |       |   |
|-------|---|----------|---|-------|---|
| 14-24 | Models with Air Trac Suspension (40,000 lb)                                   | C71-6003 | ....  | ....  |  91037 |
| 13-24 | Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles | B71-6019 |  | 91013 | ....  |

# APPLICATION GUIDE

|      |               |      |   |
|------|---------------|------|---|
| Year | Fitment Notes | OEM# | <br>            |
|      |               |      |  RydeFX  RydeFX |

## PETERBILT

## PETERBILT

### 579 (cont)

|       |  |  |   |  |       |
|-------|--|--|---|--|-------|
| 13-24 | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  | <br> | 91008 |
|       | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-6005<br>C71-1011 | ....  | <br> | 91007 |
| 13-18 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. | B71-6009<br>02-02737                         |   | 91000  | ....  |

### 587

|       |  |  |   |  |       |
|-------|--|--|---|--|-------|
| 11-18 | Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. | B71-6009<br>02-02737                         |   | 91000  | ....  |
|       | Models with FlexAir Suspension (38000 lb)  | C71-1016<br>C71-1002<br>C71-6015<br>C71-6000 | ....  | <br> | 91008 |
|       | Models with Peterbilt Low Air Leaf Suspension  | 03-08781<br>C71-1017<br>C71-1011             | ....  | <br> | 91007 |

## PIERCE MFG. INC.

## PIERCE MFG. INC.

### VARIOUS

|       |  |                              |   |       |      |
|-------|--|------------------------------|---|-------|------|
| 09-24 | Models with Freightliner Chassis ( M2 112 or 114SD with 12000 lb to 20000 lb Front Axle) | 10-13809-000<br>471700003920 |   | 91011 | .... |
|-------|--|------------------------------|---|-------|------|

## POWERHOUSE COACH INC.

## POWERHOUSE COACH INC.

|       |   |                          |   |  |       |
|-------|---|--------------------------|---|--|-------|
| 11-22 | Models with Volvo VNL780 Chassis with 40,000 lb Rear Air Suspension | 21462380<br>471700006040 | ....  | <br>  | 91016 |
| 06-11 | Models with Volvo VNL780 Chassis with 40,000 lb Rear Air Suspension | 20551628<br>47170000443  | ....  | <br> | 91034 |
| 06-10 | Models with Volvo VNL780 Chassis with 12,500 - 14,600 lb Front Axle | 20973993<br>20433424     |   | 91033  | ....  |

## RED LION TRAILER

## RED LION TRAILER

### NONE

|  |                 |          |   |       |  |
|--|-----------------|----------|---|-------|--|
|  | With OEM Number | 90044978 |   | 91007 |  |
|--|-----------------|----------|---|-------|--|

## RENEGADE

## RENEGADE

### VALENCIA

|       |                                       |              |   |  |       |
|-------|---------------------------------------|--------------|---|--|-------|
| 18-24 | Models with Freightliner S2RV chassis | 10-13976-000 |   | 91035  | ....  |
|       |                                       | 16-16764-000 | ....  | <br> | 91009 |

### VARIOUS

|       |   |                                 |   |  |       |
|-------|---|---------------------------------|---|--|-------|
|       | All Models with Freightliner Airliner Rear Air Suspension To 2019   | 16-18708-000<br>SDA471700002809 | ....  | <br> | 91009 |
| 15-19 | Renegade XL Series Motorhomes with Freightliner Cascadia Chassis and 12,000 to 13,300 lb Taperleaf Front Suspension | SDA471700003920<br>10-13809-000 |   | 91011  | ....  |
| 12-19 | Ikon Series Motorhomes with Freightliner Cascadia Chassis and 12,000 to 13,300 lb Taperleaf Front Suspension        | SDA471700003920<br>10-13809-000 |   | 91011  | ....  |
| 09-19 | Models with Freightliner M2-112 Chassis with 12000 lb to 20000 Front Axle   | 10-13809-000<br>471700003920    |   | 91011  | ....  |
| 11-18 | Models with Volvo VNL630 Chassis with 40,000 lb Rear Air Suspension   | 21462380<br>471700006040        | ....  | <br> | 91016 |
| 06-11 | Models with Volvo VNL630 Chassis with 40,000 lb Rear Air Suspension   | 20551628<br>47170000443         | ....  | <br> | 91034 |
| 06-10 | Models with Volvo VNL630 Chassis with 12,500 - 14,600 lb Front Axle   | 20973993<br>20433424            |   | 91033  | ....  |

## RIDEWELL CORP.

## RIDEWELL CORP.

### TRAILER AIR-RIDES

|  |   |             |      |  |       |
|--|---|-------------|------|--|-------|
|  | RAR-240, RAR-240W (Mono Pivot Trailers with HD Air Suspension) With O.E.M. Number | 1270563B000 | .... | <br> | 91018 |
|--|---|-------------|------|--|-------|

### TRUCK AIR-RIDES

|  |                           |                      |      |  |       |
|--|---------------------------|----------------------|------|--|-------|
|  | Models with O.E.M. Number | 70654<br>1250563B000 | .... | <br> | 91018 |
|--|---------------------------|----------------------|------|--|-------|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## RIDEWELL CORP.

## RIDEWELL CORP.

### TRUCK AIR-RIDES (cont)

|  |   |             |      |   |
|--|---|-------------|------|---|
|  | RUA-220B-1-, 7, 7.5, 8, 8.5, 9, 9.5, 10 (Lift Tag Axle & Trailer Lift Suspension) | 1270563B000 | .... |   91018 |
|--|---|-------------|------|---|

## SAF HOLLAND

## SAF HOLLAND

### TRAILER AIR SUSPENSION

|  |  |          |      |   |
|--|--|----------|------|---|
|  | AR-92 Models Trailer Air Suspension (AR-92-12) | 90044992 | .... |   91018 |
|--|--|----------|------|---|

### TRUCK & TRACTOR AIR SUSPENSION (TAG AXLE)

|  |                           |  |      |   |
|--|---------------------------|--|------|---|
|  | Models with O.E.M. Number | 90044982<br>90044981<br>90044991<br>AR-718-C-HD<br>90044071<br>90044081<br>57639<br>90044086 | .... |   91018 |
|--|---------------------------|--|------|---|

### TRUCK, BUS & MOTORHOME AIR SUSPENSIONS

|  |   |          |      |   |
|--|---|----------|------|---|
|  | ART-500 Models Truck & Tractor Tag Axle Air Suspension (ART-500-US, ART-500-US-A) | 90044008 | .... |   91018 |
|--|---|----------|------|---|

## STERLING TRUCK

## STERLING TRUCK

### A9500

|       |  |                              |   |   |
|-------|--|------------------------------|---|---|
| 99-10 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | ....  |   91009 |
| 99-03 | Models with 12000 lb Taperleaf Front Suspension    | 471700131646<br>10-13205-000 |   91035 | ....  |

### A9513

|       |  |                              |   |   |
|-------|--|------------------------------|---|---|
| 99-01 | Models with 12000 lb Taperleaf Front Suspension    | 471700131646<br>10-13205-000 |   91035 | ....  |
|       | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | ....  |   91009 |

### A9522

|    |  |                              |   |   |
|----|--|------------------------------|---|---|
| 99 | Models with 12000 lb Taperleaf Front Suspension    | 471700131646<br>10-13205-000 |   91035 | ....  |
|    | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | ....  |   91009 |

### ACTERRA

|       |  |   |      |   |
|-------|--|---|------|---|
| 03-10 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>XC45-18080-BA | .... |   91009 |
|-------|--|---|------|---|

### ACTERRA 5500

|       |  |   |      |   |
|-------|--|---|------|---|
| 01-07 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>XC45-18080-BA | .... |   91009 |
|-------|--|---|------|---|

### ACTERRA 6500

|       |  |   |      |   |
|-------|--|---|------|---|
| 01-07 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>XC45-18080-BA | .... |   91009 |
|-------|--|---|------|---|

### ACTERRA 7500

|       |  |   |      |   |
|-------|--|---|------|---|
| 01-07 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>XC45-18080-BA | .... |   91009 |
|-------|--|---|------|---|

### ACTERRA 8500

|       |  |   |      |   |
|-------|--|---|------|---|
| 01-03 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000<br>XC45-18080-BA | .... |   91009 |
|-------|--|---|------|---|

### L8500

|       |  |                              |      |   |
|-------|--|------------------------------|------|---|
| 99-10 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |   91009 |
|-------|--|------------------------------|------|---|

### L8501

|    |  |                              |      |   |
|----|--|------------------------------|------|---|
| 99 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... |   91009 |
|----|--|------------------------------|------|---|

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|
|------|---------------|------|---|---|

## STERLING TRUCK

## STERLING TRUCK

### L8511

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-00 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L8513

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-01 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L9500

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-10 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L9501

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-00 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L9511

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-01 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L9513

|       |  |                              |      |                             |
|-------|--|------------------------------|------|-----------------------------|
| 99-00 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|-------|--|------------------------------|------|-----------------------------|

### L9522

|    |  |                              |      |                             |
|----|--|------------------------------|------|-----------------------------|
| 99 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-13957-000 | .... | <input type="radio"/> 91009 |
|----|--|------------------------------|------|-----------------------------|

## STOUGHTON TRAILERS INC.

## STOUGHTON TRAILERS INC.

### VARIOUS

|  |  |          |      |                             |
|--|--|----------|------|-----------------------------|
|  | Trailers with Hendrickson HT230T Models Air Suspension | HTA20002 | .... | <input type="radio"/> 91018 |
|--|--|----------|------|-----------------------------|

## THOMAS

## THOMAS

### SAF-T-LINER

|       |   |   |                             |                             |
|-------|---|---|-----------------------------|-----------------------------|
| 91-24 | Models 21K or 23K Airliner Rear Air Suspension  | 16-15817-000<br>16-13957-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....                        | <input type="radio"/> 91009 |
| 95-23 | Models with 12000 lb Taperleaf Front Suspension | 10-13634-000<br>10-13211-000  | <input type="radio"/> 91035 | ....                        |
|       | Models with Freightliner CC B2 Bus Chassis      | 10-13634-000<br>10-13211-000  | <input type="radio"/> 91035 | ....                        |

### VARIOUS

|  |   |  |      |                             |
|--|---|--|------|-----------------------------|
|  | Buses with Neway Tandem Air Suspension  | 61310232   | .... | <input type="radio"/> 91018 |
|  | Type C Conventional Buses (65 capacity) with FAS II Rear Air Suspension To 2017 | 16-15817-000<br>16-18708-000<br>61310434<br>61310478 | .... | <input type="radio"/> 91009 |

## THOR MOTOR COACH

## THOR MOTOR COACH

### INCEPTION

|       |                                       |              |                             |                             |
|-------|---------------------------------------|--------------|-----------------------------|-----------------------------|
| 22-24 | Models with Freightliner S2RV chassis | 10-13976-000 | <input type="radio"/> 91035 | ....                        |
|       |                                       | 16-16764-000 | ....                        | <input type="radio"/> 91009 |

### PASADENA

|       |                                       |              |                             |                             |
|-------|---------------------------------------|--------------|-----------------------------|-----------------------------|
| 22-24 | Models with Freightliner S2RV chassis | 10-13976-000 | <input type="radio"/> 91035 | ....                        |
|       |                                       | 16-16764-000 | ....                        | <input type="radio"/> 91009 |

## TIFFIN

## TIFFIN

### ALLEGRO BAY

|       |                                       |              |                             |                             |
|-------|---------------------------------------|--------------|-----------------------------|-----------------------------|
| 19-24 | Models with Freightliner S2RV chassis | 10-13976-000 | <input type="radio"/> 91035 | ....                        |
|       |                                       | 16-16764-000 | ....                        | <input type="radio"/> 91009 |

# APPLICATION GUIDE

|      |               |      |            |            |
|------|---------------|------|------------|------------|
| Year | Fitment Notes | OEM# | <br>RydeFX | <br>RydeFX |
|------|---------------|------|------------|------------|

## TRAILMOBILE CANADA CORP.

## TRAILMOBILE CANADA CORP.

### VARIOUS

|  |   |                                  |      |       |
|--|---|----------------------------------|------|-------|
|  | Models with O.E.M. Number                                       | 43-6-028<br>43-4-237<br>43-4-277 | .... | 91018 |
|  | Trailers with Hendrickson Air Susp. HT230T (23,000 lb Capacity) | 43-6-118                         | .... | 91018 |
|  | Trailers with Hendrickson Air Susp. T30-US-9, -12, -14, -17     | 43-8-013                         | .... | 91018 |
|  | Trailers with Neway Air Susp. AR92-14                           | 90044992                         | .... | 91018 |

## TUTHILL TECHNOLOGIIES

## TUTHILL TECHNOLOGIIES

### TRAILER

|  |                           |          |      |       |
|--|---------------------------|----------|------|-------|
|  | Models with O.E.M. Number | 17142-01 | .... | 91012 |
|--|---------------------------|----------|------|-------|

## TWIN COACH

## TWIN COACH

### VARIOUS

|  |                           |             |      |       |
|--|---------------------------|-------------|------|-------|
|  | Models with O.E.M. Number | AR-718-C-HD | .... | 91018 |
|--|---------------------------|-------------|------|-------|

## UTILITY TRAILER MANUFACTURING COMPANY

## UTILITY TRAILER MANUFACTURING COMPANY

### FLATBEDS

|  |  |         |      |       |
|--|--|---------|------|-------|
|  | 4000A Model Trailers with Hendrickson AANT 23K Intraax Air Ride (Standard) | B-23566 | .... | 91018 |
|  | 4000AE; with Hendrickson AANT 23K 23K Air Ride Suspension (Standard)       | S23566  | .... | 91018 |

### REEFERS & DRY VANS

|  |  |                    |      |       |
|--|--|--------------------|------|-------|
|  | 3000R Multi-Temp Trailers with Hendrickson HKANT 40K Vantraax Air Ride Heavy Duty  | S-24088<br>B-24088 | .... | 91018 |
|  | 4000D Trailers with Hendrickson HKANT 40K Vantraax Air Ride Heavy Duty             | S-24088<br>B-24088 | .... | 91018 |
|  | 4000D-X Composite Trailers with Hendrickson HKANT 40K Vantraax Air Ride Heavy Duty | S-24088<br>B-24088 | .... | 91018 |

## VOLVO

## VOLVO

### VAH SERIES

|       |   |  |       |       |
|-------|---|--|-------|-------|
| 17-18 | VAH 630 Models with 40,000 lb Rear Air Suspension | 21462380<br>21462378<br>471700006040<br>471700006038 | ....  | 91016 |
| 14    | VAH 430 Models with O.E.M. Number                 | 141700005838<br>21436086                             | 91033 | ....  |

### VN

|    |                           |   |      |       |
|----|---------------------------|---|------|-------|
| 04 | Models with O.E.M. Number | 471700002627<br>8086651<br>20433425<br>85104221 | .... | 91034 |
| 99 | Models with O.E.M. Number | 471700002627<br>8086651<br>20433425<br>85104221 | .... | 91034 |

### VN SERIES - 2200

|    |                                       |   |       |       |
|----|---------------------------------------|---|-------|-------|
|    | Models with O.E.M. Number             | 8078195<br>20973993<br>20433424<br>20513881 | 91033 | ....  |
|    |                                       | 20551628<br>471700000443                    | ....  | 91034 |
| 00 | Models built after May 1999 From 5/99 | 471700002627<br>8086651<br>20433425         | ....  | 91034 |

### VNL

|       |  |   |       |       |
|-------|--|---|-------|-------|
| 11-24 | Models with 40,000 lb Rear Air Suspension, with O.E.M Number | 21462380<br>21462378                        | ....  | 91016 |
| 00-24 | Models with 12,000 - 13,200 lb Front Axles                   | 20973993<br>20433424<br>8071881<br>23288402 | 91033 | ....  |

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |         |         |
|------|---------------|------|--|--|
|      |               |      |  RydeFX |  RydeFX |

## VOLVO

## VOLVO

### VNL (cont)

|       |   |  |      |   |
|-------|---|--|------|---|
| 00-11 | Models with 38,000 lb Rear Air Suspension | 471700002627<br>20551628<br>20433425<br>471700000443 | .... |  91034 |
|-------|---|--|------|---|

### VNL 300

|       |  |  |   |   |
|-------|--|--|---|---|
| 06-24 | Models with 12,000 - 13,200 lb Front Axles | 141700005838<br>20973993<br>21436086<br>20433424<br>23288402 |  91033 | ....  |
| 16-20 | Models with 12,000 - 13,200 lb Front Axles | 141700005838<br>20973993<br>23288402<br>21436086<br>20433424 |  91033 | ....  |
|       | Models with 40,000 lb Rear Air Suspension  | 21462378<br>471700006038                                     | ....  |  91016 |
| 06-11 | Models with 40,000 lb Rear Air Suspension  | 471700002627<br>20551628<br>20433425<br>471700000443         | ....  |  91034 |

### VNL 430

|       |  |  |   |   |
|-------|--|--|---|---|
| 11-18 | Models with 40,000 lb Rear Air Suspension  | 21462380<br>471700006040                             | ....  |  91016 |
| 15-16 | Models with 12,500 - 14,600 lb Front Axle  | 141700005838<br>21436086                             |  91033   | ....  |
| 05-11 | Models with 40,000 lb Rear Air Suspension  | 471700002627<br>20551628<br>20433425<br>471700000443 | ....  |  91034 |
| 06-10 | Models with 12,000 - 13,200 lb Front Axles | 20973993<br>20433424                                 |  91033 | ....  |

### VNL 630

|       |  |                          |   |   |
|-------|--|--------------------------|---|---|
| 11-19 | Models with 40,000 lb Rear Air Suspension  | 21462380<br>471700006040 | ....  |  91016 |
| 15-16 | Models with 12,500 - 14,600 lb Front Axle  | 141700005838<br>21436086 |  91033 | ....  |
| 06-11 | Models with 40,000 lb Rear Air Suspension  | 20551628<br>471700000443 | ....  |  91034 |
| 06-10 | Models with 12,000 - 13,200 lb Front Axles | 20973993<br>20433424     |  91033 | ....  |

### VNL 670

|       |  |                          |   |   |
|-------|--|--------------------------|---|---|
| 15-16 | Models with 12,500 - 14,600 lb Front Axle  | 141700005838<br>21436086 |  91033 | ....  |
| 06-11 | Models with 40,000 lb Rear Air Suspension  | 20551628<br>471700000443 | ....  |  91034 |
| 06-10 | Models with 12,000 - 13,200 lb Front Axles | 20973993<br>20433424     |  91033 | ....  |

### VNL 740

|       |   |   |   |   |
|-------|---|---|---|---|
| 17-24 | Models with 12,500 - 14,600 lb Front Axle | 141700005838<br>41700014316<br>21436086<br>23288403 |  91033 | ....  |
| 17-20 | Models with 12,500 - 14,600 lb Front Axle | 141700005838<br>41700014316<br>21436086<br>23288403 |  91033 | ....  |
|       | Models with 40,000 lb Rear Air Suspension | 21462380<br>471700006040                            | ....  |  91016 |

### VNL 760

|       |   |                          |   |   |
|-------|---|--------------------------|---|---|
| 21-24 | Models with 12,000 - 14,600 lb Front Axles    | 23288402                 |  91033 | ....  |
|       | Models with 13,200 lb to 14,600 lb Front Axle | 41700014316<br>23288403  |  91033 | ....  |
| 17-20 | Models with 12,500 - 14,600 lb Front Axle     | 141700005838<br>21436086 |  91033 | ....  |
|       | Models with 40,000 lb Rear Air Suspension     | 21462380<br>471700006040 | ....  |  91016 |
| 20    | Models with 13,200 lb to 14,600 lb Front Axle | 41700014316<br>23288403  |  91033 | ....  |

# APPLICATION GUIDE

| Year | Fitment Notes | OEM# |  |  |
|------|---------------|------|---|---|
|      |               |      | RydeFX  | RydeFX  |

## VOLVO

## VOLVO

### VNL 860

|       |  |                          |  |       |                                |
|-------|--|--------------------------|--|-------|--------------------------------|
| 21-24 | Models with 12,000 - 14,600 lb Front Axles | 41700014316<br>23288403  | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
|       | Models with 12,500 - 14,600 lb Front Axle  | 41700014316<br>23288403  | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
| 17-20 | Models with 12,500 - 14,600 lb Front Axle  | 141700005838<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
|       | Models with 40,000 lb Rear Air Suspension  | 21462380<br>471700006040 | <input type="checkbox"/>                             | ....  | <input type="checkbox"/> 91016 |

### VNL SERIES

|       |  |                                      |  |       |                                |
|-------|--|--------------------------------------|--|-------|--------------------------------|
| 11-24 | 300, 300U Models with 12,000 - 13,200 lb Front Axles         | 141700005838<br>23288402<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
| 11-19 | 630 & 670 Models with 12,500 - 14,600 lb Front Axle          | 141700005838<br>23288402<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
| 11-18 | 430 Models with 12,500 - 14,600 lb Front Axle                | 141700005838<br>23288402<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
|       | 730 & 780 Models with 12,500 - 14,600 lb Front Axle          | 141700005838<br>23288402<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
| 06-11 | 730 & 780 Models with 40,000 lb Rear Air Suspension          | 20551628<br>471700000443             | <input type="checkbox"/>   | ....  | <input type="checkbox"/> 91034 |
| 06-10 | 730 & 780 Models with 13,200 lb Front Axle                   | 20973993<br>20433424                 | <input type="checkbox"/><br><input type="checkbox"/>                             | 91033 | ....                           |
| 06    | Models with 38,000 lb Rear Air Suspension, with O.E.M Number | 471700000443                         | <input type="checkbox"/>   | ....  | <input type="checkbox"/> 91034 |

### VNM

|       |   |                          |  |       |      |
|-------|---|--------------------------|--|-------|------|
| 11-18 | Models with 12,000 - 14,600 lb Front Axle | 141700005838<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | .... |
|-------|---|--------------------------|--|-------|------|

### VNM SERIES

|  |   |  |                          |      |                                |
|--|---|--|--------------------------|------|--------------------------------|
|  | 630 Models with 38,000 lb Rear Air Suspension To 2017 | 21462380<br>21462378<br>471700006040<br>471700006038 | <input type="checkbox"/> | .... | <input type="checkbox"/> 91016 |
|--|---|--|--------------------------|------|--------------------------------|

### VNR

|       |   |                          |  |       |                                |
|-------|---|--------------------------|--|-------|--------------------------------|
| 21-24 | Models with 12,000 lb to 12,500 lb Front Axle | 23288402                 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
|       | Models with 13,200 lb to 14,600 lb Front Axle | 23288403                 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |
| 18-19 | 300 Models with 40,000 lb Rear Air Suspension | 21462378<br>471700006038 | <input type="checkbox"/>                             | ....  | <input type="checkbox"/> 91016 |
|       | 400 Models with 38,000 lb Rear Air Suspension | 21462380<br>471700006040 | <input type="checkbox"/>                             | ....  | <input type="checkbox"/> 91016 |
|       | Models with 12,500 lb Front Axle              | 141700005838<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | ....                           |

### VNR 300

|       |  |   |  |       |      |
|-------|--|---|--|-------|------|
| 17-24 | Models with 12,000 - 14,600 lb Front Axles | 41700014316<br>21436086<br>23288403<br>23288402 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | .... |
|-------|--|---|--|-------|------|

### VNR 400

|       |  |   |  |       |      |
|-------|--|---|--|-------|------|
| 17-24 | Models with 12,000 - 14,600 lb Front Axles | 41700014316<br>21436086<br>23288403<br>23288402 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | .... |
|-------|--|---|--|-------|------|

### VNR 640

|       |  |   |  |       |      |
|-------|--|---|--|-------|------|
| 17-24 | Models with 12,000 - 14,600 lb Front Axles | 41700014316<br>21436086<br>23288403<br>23288402 | <input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/><br><input type="checkbox"/> | 91033 | .... |
|-------|--|---|--|-------|------|

### VNR SERIES

|  |   |                          |                          |      |                                |
|--|---|--------------------------|--------------------------|------|--------------------------------|
|  | 640 Models with 38,000 lb Rear Air Suspension | 21462380<br>471700006040 | <input type="checkbox"/> | .... | <input type="checkbox"/> 91016 |
|--|---|--------------------------|--------------------------|------|--------------------------------|

### VNX

|       |   |                          |  |       |      |
|-------|---|--------------------------|--|-------|------|
| 19-20 | Models with 12,500 - 14,600 lb Front Axle | 141700005838<br>21436086 | <input type="checkbox"/><br><input type="checkbox"/> | 91033 | .... |
|-------|---|--------------------------|--|-------|------|

# APPLICATION GUIDE

|      |               |      |  |  |
|------|---------------|------|--|--|
| Year | Fitment Notes | OEM# |         |         |
|      |               |      |  RydeFX |  RydeFX |

## VOLVO

## VOLVO

### VNX (cont)

|       |   |                          |              |      |
|-------|---|--------------------------|--------------|------|
| 14-17 | Models with 12,500 - 14,600 lb Front Axle | 141700005838<br>21436086 | ○ 91033<br>○ | .... |
|-------|---|--------------------------|--------------|------|

### VNX - SERIES

|  |   |                          |      |              |
|--|---|--------------------------|------|--------------|
|  | Models with 40,000 lb Rear Air Suspension | 21462380<br>471700006040 | .... | ○ 91016<br>○ |
|--|---|--------------------------|------|--------------|

### VT

|       |   |                                 |              |              |
|-------|---|---------------------------------|--------------|--------------|
| 06-10 | 64T-830 Models with 40,000 lb Rear Air Suspension | 20551628<br>47170000443         | ....         | ○ 91034<br>○ |
|       | All Models with 12,000 - 13,200 lb Front Axles    | 20973993<br>20433424<br>8071881 | ○ 91033<br>○ | ....         |

## WABASH NATIONAL

## WABASH NATIONAL

### VARIOUS

|  |   |   |      |              |
|--|---|---|------|--------------|
|  | Trailers with Aurora part number            | HENS-20002<br>HENS-23566<br>NEW900-45-299<br>FLL85000-071 | .... | ○ 91018<br>○ |
|  | Trailers with Aurora part number Heavy Duty | HENS-24088  | .... | ○ 91018<br>○ |

## WATSON & CHALIN MFG. INC.

## WATSON & CHALIN MFG. INC.

|  |                           |                   |      |              |
|--|---------------------------|-------------------|------|--------------|
|  | Models with O.E.M. Number | 665724<br>10147HD | .... | ○ 91018<br>○ |
|--|---------------------------|-------------------|------|--------------|

## WESTERN STAR

## WESTERN STAR

### 47X

|       |  |   |      |              |
|-------|--|---|------|--------------|
| 22-24 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... | ○ 91009<br>○ |
|-------|--|---|------|--------------|

### 49X

|       |  |   |      |              |
|-------|--|---|------|--------------|
| 21-24 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | .... | ○ 91009<br>○ |
|-------|--|---|------|--------------|

### 57X

|       |  |   |         |              |
|-------|--|---|---------|--------------|
| 23-24 | Models with 12000 to 13300 lb Taperleaf Front Suspension | 10-14339-000                                    | ↓ 91024 | ....         |
|       | Models with FAS II (40,000 lb) Rear Air Suspension       | 16-18708-000<br>471700002809<br>SDA471700002809 | ....    | ○ 91009<br>○ |

### 4700SB

|       |  |   |              |              |
|-------|--|---|--------------|--------------|
| 12-22 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....         | ○ 91009<br>○ |
| 12-20 | Models with 20000 lb Set -Back Front Axle          | 10-13809-000<br>471700003920  | ○ 91011<br>○ | ....         |

### 4700SF

|       |  |   |              |              |
|-------|--|---|--------------|--------------|
| 12-22 | Models with FAS II (40,000 lb) Rear Air Suspension | 16-15817-000<br>16-18708-000<br>481700006848<br>471700002809<br>SDA471700002809 | ....         | ○ 91009<br>○ |
| 12-20 | Models with 18,000 lb - 20,000 lb Flat Leaf Spring | 10-13684-000<br>471700000470  | ○ 91035<br>○ | ....         |

### 4800SB

|       |   |                              |              |      |
|-------|---|------------------------------|--------------|------|
| 12-20 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | ○ 91011<br>○ | .... |
|-------|---|------------------------------|--------------|------|

### 4800SF

|       |   |                              |              |      |
|-------|---|------------------------------|--------------|------|
| 13-20 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | ○ 91011<br>○ | .... |
|-------|---|------------------------------|--------------|------|

# APPLICATION GUIDE

|      |               |      |   |   |
|------|---------------|------|---|---|
| Year | Fitment Notes | OEM# | <br> RydeFX | <br> RydeFX |
|------|---------------|------|---|---|

## WESTERN STAR

## WESTERN STAR

### 4900EX

|       |   |                              |  |  |
|-------|---|------------------------------|--|--|
| 08-20 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |
|-------|---|------------------------------|--|--|

### 4900FA

|       |   |                              |  |  |
|-------|---|------------------------------|--|--|
| 08-20 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |
|-------|---|------------------------------|--|--|

### 4900SA

|       |   |                              |  |  |
|-------|---|------------------------------|--|--|
| 08-20 | Models with 20000 lb Set -Back Front Axle | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |
|-------|---|------------------------------|--|--|

### 5700XE

|       |  |                              |  |  |
|-------|--|------------------------------|--|--|
| 16-22 | Models with 12,000 lb to 14,600 lb Taperleaf Springs | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |
|       | Models with Airliner Rear Air Suspension             | 16-20716-000                 | .....  | <input type="radio"/> 91009<br><input type="radio"/> |

### 6900XD

|       |   |                              |  |  |
|-------|---|------------------------------|--|--|
| 18-19 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |
| 09-16 | Models with 12000 lb Taperleaf Front Suspension | 10-13809-000<br>471700003920 | <input type="radio"/> 91011<br><input type="radio"/> | <input type="radio"/> .....<br><input type="radio"/> |

# Numerical listing

| Shock | POP  | Alternative No. | MTG Acc. Supplied |
|-------|------|-----------------|-------------------|
| Pos.  | Year | Application     |                   |

## RydeFX

| 91000 | A     | 145080 (2)  |
|-------|-------|---|
| F     | 23    | <b>KENWORTH T880</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. |
| F     | 18-20 | <b>W900</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.          |
| F     |       | <b>W900, W900B, W900L, W900S</b>  |
| F     | 23    | <b>W990</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.          |
| F     | 01-18 | <b>PETERBILT 320</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle. |
| F     | 87-18 | <b>320</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 87-08 | <b>357</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 87-08 | <b>357</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 08-22 | <b>365</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 08-20 | <b>365</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 08-24 | <b>367</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 14-20 | <b>367</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 87-96 | <b>375</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 87-96 | <b>375</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 02    | <b>376</b>  |
| F     | 00    | <b>376</b>  |
| F     | 99    | <b>376</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 99    | <b>376</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 95-96 | <b>376</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 95-96 | <b>376</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 92    | <b>376</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 92    | <b>376</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 88-90 | <b>376</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |
| F     | 88-90 | <b>376</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.           |
| F     | 87-01 | <b>377</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.                 |

# RydeFX

| Shock | POP  | Alternative No. | MTG Acc. Supplied |
|-------|------|-----------------|-------------------|
| Pos.  | Year | Application     |                   |

| 91000 | A (cont) | 145080 (2)   |
|-------|----------|--|
| F     | 87-01    | <b>377</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 88-07    | <b>378</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 88-07    | <b>378</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 86-07    | <b>379</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 86-07    | <b>379</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 11-17    | <b>382</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 08-16    | <b>384</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. (Heavy Duty) |
| F     |          | <b>385</b>   |
| F     | 06-16    | <b>386</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 06-16    | <b>386</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     |          | <b>387</b>   |
| F     | 13-15    | <b>388</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle. (Heavy Duty) |
| F     | 08-15    | <b>388</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 08-15    | <b>388</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 08-24    | <b>389</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 08-23    | <b>389</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 17-24    | <b>520</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 14-24    | <b>567</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 14-23    | <b>567</b> All Models with 18,000 lb to 23,000 lb Taperleaf Front Spring Suspension and Set Forward Front Axle.        |
| F     | 13-18    | <b>579</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
| F     | 11-18    | <b>587</b> All Models with 12,000 lb to 14,600 lb Taperleaf Spring Suspension and Set Forward Front Axle.              |
|       |          |  |
| 91007 | A        | 145089-000 (2)   |
| R     | 24       | <b>KENWORTH T270</b>   |
| R     | 20-23    | <b>T270</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension  |
| R     | 08-23    | <b>T270</b> All Models with AG210L Rear Air Suspension   |
| R     | 20-23    | <b>T370</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension  |
| R     | 08-23    | <b>T370</b> All Models with AG210L Rear Air Suspension   |
| R     | 22-25    | <b>T380</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension  |
| R     | 11-21    | <b>T440</b>  |
| R     | 10-21    | <b>T470</b>  |

# Numerical listing

| Shock | POP  | Alternative No. | MTG Acc. Supplied |
|-------|------|-----------------|-------------------|
| Pos.  | Year | Application     |                   |

| 91007 | A (cont) | 145089-000 (2)   |
|-------|----------|--|
| R     | 22-25    | <b>T480</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 07-20    | <b>T660</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 13-24    | <b>T680</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 11-16    | <b>T700</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 08-23    | <b>T800</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 11-24    | <b>T880</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 08-24    | <b>W900</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 19-24    | <b>W990</b> All Models with Air Glide 400L (AG400L) Rear Air Suspension        |
| R     | 02-18    | <b>PETERBILT 320</b> All Models with Peterbilt Low Air Leaf Suspension         |
| R     | 07-22    | <b>330</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 03-05    | <b>330</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 05-10    | <b>335</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 10-23    | <b>337</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 02-08    | <b>357</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 02-06    | <b>362</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 08-23    | <b>365</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 08-23    | <b>367</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 03-07    | <b>378</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 03-07    | <b>379</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 11-17    | <b>382</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 08-16    | <b>384</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 04-07    | <b>385</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 06-16    | <b>386</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 03-11    | <b>387</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 08-15    | <b>388</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 08-24    | <b>389</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 17-23    | <b>520</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 22-24    | <b>536</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 22-25    | <b>537</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 22-25    | <b>548</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 14-24    | <b>567</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 13-24    | <b>579</b> All Models with Peterbilt Low Air Leaf Suspension                   |
| R     | 11-18    | <b>587</b> All Models with Peterbilt Low Air Leaf Suspension                   |
|       |          | <b>RED LION TRAILER NONE</b>   |
| 91008 | A        |  |
| R     | 01-16    | <b>KENWORTH C500</b> All Models with Air Glide 380 (AG380) Rear Air Suspension |
| R     | 16-17    | <b>ICON 900</b>  |
| R     | 12-21    | <b>T440</b>  |
| R     | 10-19    | <b>T470</b>  |
| R     | 01-07    | <b>T600, T600B, T602</b>   |
| R     | 01-08    | <b>T600A</b> All Models with Air Glide 380 (AG380) Rear Air Suspension         |
| R     | 07-20    | <b>T660</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |
| R     | 11-24    | <b>T680</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |
| R     | 11-16    | <b>T700</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |
| R     | 01-23    | <b>T800</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |
| R     | 01-09    | <b>T800B, T800B(8X4), T800SH, T800H, T800W</b>                                 |
| R     | 11-24    | <b>T880</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |
| R     | 01-11    | <b>T2000</b> All Models with Air Glide 380 (AG380) Rear Air Suspension         |
| R     | 01-21    | <b>W900</b> All Models with Air Glide 380 (AG380) Rear Air Suspension          |

Numerical listing

| Shock        | POP      | Alternative No.   | MTG Acc. Supplied |
|--------------|----------|---|-------------------|
| Pos.         | Year     | Application   |                   |
| <b>91008</b> | A (cont) |   |                   |
| R            | 01-21    | W900B, W900L, W900S   |                   |
| R            | 19-24    | W990 All Models with Air Glide 380 (AG380) Rear Air Suspension                      |                   |
| R            | 08-20    | <b>PETERBILT 365</b> All Models with FlexAir Suspension (38000 lb)                  |                   |
| R            | 08-20    | 367 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 99-07    | 378 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 99-07    | 379 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 11-17    | 382 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 08-16    | 384 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 95-07    | 385 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 06-16    | 386 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 00-11    | 387 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 08-15    | 388 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 08-24    | 389 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 14-24    | 567 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 13-24    | 579 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| R            | 11-18    | 587 All Models with FlexAir Suspension (38000 lb)                                   |                   |
| <b>91009</b> | A        |   |                   |
| R            | 13-24    | <b>DYNAMAX CORP DX3</b> All Models with Airliner 21,000 lb Rear Air Suspension      |                   |
| R            | 05-07    | <b>DYNAQUEST</b> All Models with Airliner 18,000 lb Rear Air Suspension             |                   |
| R            | 09-14    | <b>DYNAQUEST ST</b> All Models with Airliner 18,000 lb Rear Air Suspension          |                   |
| R            | 09-24    | <b>DYNAQUEST XL</b> All Models with FAS II (40,000 lb) Rear Air Suspension          |                   |
| R            | 21-24    | <b>EUROPA</b> All Models with Airliner 21,000 lb Rear Air Suspension                |                   |
| R            | 22       | <b>FORCE HD</b> All Models with Airliner 21,000 lb Rear Air Suspension              |                   |
| R            | 15-18    | <b>FORCE HD</b> All Models with Airliner 21,000 lb Rear Air Suspension              |                   |
| R            | 02-04    | <b>GRAND SPORT</b> All Models 23,000 lb Airliner Rear Air Suspension                |                   |
| R            | 09-14    | <b>GRAND SPORT GT</b> All Models with Freightliner Airliner Rear Air Suspension     |                   |
| R            | 07-13    | <b>GRAND SPORT GT TOY HAULER</b> All Models 21K or 23K Airliner Rear Air Suspension |                   |
| R            | 03-07    | <b>GRAND SPORT M2</b> All Models with Airliner 21,000 lb Rear Air Suspension        |                   |
| R            | 07-14    | <b>GRAND SPORT ULTRA</b> All Models 23,000 lb Airliner Rear Air Suspension          |                   |
| R            | 20-24    | <b>ENTEGR COACH ACCOLADE</b> All Models with Freightliner S2RV chassis              |                   |
| R            | 21-24    | <b>ACCOLADE XL</b> All Models with Freightliner S2RV chassis                        |                   |
| R            | 02-19    | <b>FEDERAL COACH</b> VARIOUS  |                   |
| R            | 12-24    | <b>FREIGHTLINER 108SD</b> All Models with FAS II (40,000 lb) Rear Air Suspension    |                   |
| R            | 12-24    | 114SD All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 13-23    | 122SD All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 99-15    | ARGOSY All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 05-23    | B2 All Models with FAS II (40,000 lb) Rear Air Suspension                           |                   |
| R            | 08-24    | CASCADIA All Models with FAS II (40,000 lb) Rear Air Suspension                     |                   |
| R            | 96-11    | CENTURY CLASS All Models with FAS II (40,000 lb) Rear Air Suspension                |                   |
| R            | 01-11    | CLASSIC All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 01-09    | CLASSIC XL All Models with FAS II (40,000 lb) Rear Air Suspension                   |                   |
| R            | 00-20    | COLUMBIA All Models with FAS II (40,000 lb) Rear Air Suspension                     |                   |

RydeFX

| Shock        | POP      | Alternative No.  | MTG Acc. Supplied |
|--------------|----------|--|-------------------|
| Pos.         | Year     | Application  |                   |
| <b>91009</b> | A (cont) |  |                   |
| R            | 01-07    | CONDOR All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 01-20    | CORONADO All Models with FAS II (40,000 lb) Rear Air Suspension                    |                   |
| R            | 05-07    | FC70   |                   |
| R            | 99-04    | FC70 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 99-07    | FC80 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 95-05    | FL50 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 91-05    | FL60 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 91-06    | FL70 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 91-06    | FL80 All Models with FAS II (40,000 lb) Rear Air Suspension                        |                   |
| R            | 89-99    | FLA086 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 02       | FLB All Models with FAS II (40,000 lb) Rear Air Suspension                         |                   |
| R            | 94-99    | FLB All Models with FAS II (40,000 lb) Rear Air Suspension                         |                   |
| R            | 95-01    | FLC112 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 95-08    | FLD112 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 95-11    | FLD120 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 05-12    | FLD120SD All Models with FAS II (40,000 lb) Rear Air Suspension                    |                   |
| R            | 03       | FLD120SD All Models with FAS II (40,000 lb) Rear Air Suspension                    |                   |
| R            | 03-11    | FLD132 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 01       | FLD132 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 05-21    | M2 All Models with FAS II (40,000 lb) Rear Air Suspension                          |                   |
| R            | 02-10    | M2 100 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 02-25    | M2 106 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 03-24    | M2 112 All Models with FAS II (40,000 lb) Rear Air Suspension                      |                   |
| R            | 18-24    | VARIOUS  |                   |
| R            | 25       | <b>JAYCO SENECA 37K</b> Freightliner S2RV  |                   |
| R            | 25       | SENECA 37M Freightliner S2RV   |                   |
| R            | 18-24    | SENECA All Models with Freightliner S2RV chassis                                   |                   |
| R            | 21-23    | SENECA PRESTIGE All Models with Freightliner S2RV chassis                          |                   |
| R            | 26       | <b>NEXUS WRAITH</b> All Freightliner S2RV  |                   |
| R            | 18-24    | <b>RENEGADE VALENCIA</b> All Models with Freightliner S2RV chassis                 |                   |
| R            | 99-10    | <b>STERLING TRUCK A9500</b> All Models with FAS II (40,000 lb) Rear Air Suspension |                   |
| R            | 99-01    | A9513 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99       | A9522 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 03-10    | ACTERRA All Models with FAS II (40,000 lb) Rear Air Suspension                     |                   |
| R            | 01-07    | ACTERRA 5500 All Models with FAS II (40,000 lb) Rear Air Suspension                |                   |
| R            | 01-07    | ACTERRA 6500 All Models with FAS II (40,000 lb) Rear Air Suspension                |                   |
| R            | 01-07    | ACTERRA 7500 All Models with FAS II (40,000 lb) Rear Air Suspension                |                   |
| R            | 01-03    | ACTERRA 8500 All Models with FAS II (40,000 lb) Rear Air Suspension                |                   |
| R            | 99-10    | L8500 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99       | L8501 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99-00    | L8511 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99-01    | L8513 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99-10    | L9500 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99-00    | L9501 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |
| R            | 99-01    | L9511 All Models with FAS II (40,000 lb) Rear Air Suspension                       |                   |

Numerical listing

| Shock        | POP          | Alternative No.  | MTG Acc. Supplied |
|--------------|--------------|--|-------------------|
| Pos.         | Year         | Application  |                   |
| <b>91009</b> | A (cont)     |  |                   |
| R            | 99-00        | L9513 All Models with FAS II (40,000 lb) Rear Air Suspension                                       |                   |
| R            | 99           | L9522 All Models with FAS II (40,000 lb) Rear Air Suspension                                       |                   |
| R            | 91-24        | <b>THOMAS SAF-T-LINER</b> All Models 21K or 23K Airliner Rear Air Suspension                       |                   |
| R            | 22-24        | <b>THOR MOTOR COACH INCEPTION</b> All Models with Freightliner S2RV chassis                        |                   |
| R            | 22-24        | <b>PASADENA</b> All Models with Freightliner S2RV chassis  |                   |
| R            | 19-24        | <b>TIFFIN ALLEGRO BAY</b> All Models with Freightliner S2RV chassis                                |                   |
| R            | 22-24        | <b>WESTERN STAR 47X</b> All Models with FAS II (40,000 lb) Rear Air Suspension                     |                   |
| R            | 21-24        | 49X All Models with FAS II (40,000 lb) Rear Air Suspension   |                   |
| R            | 23-24        | 57X All Models with FAS II (40,000 lb) Rear Air Suspension   |                   |
| R            | 12-22        | 4700SB All Models with FAS II (40,000 lb) Rear Air Suspension                                      |                   |
| R            | 12-22        | 4700SF All Models with FAS II (40,000 lb) Rear Air Suspension                                      |                   |
| R            | 16-22        | 5700XE All Models with Airliner Rear Air Suspension  |                   |
| <b>91011</b> | A            |  |                   |
| F            | 09-24        | <b>DYNAMAX CORP DYNAQUEST XL</b> All Models with 12000 lb to 20000 Front Axle                      |                   |
| F            | 09-14        | <b>GRAND SPORT GT</b> All Models with 14,600 lb Taperleaf Front Suspension                         |                   |
| F            | 09-13        | <b>GRAND SPORT GT TOY HAULER</b> All 410TH & 450TH Models with 12000 lb Taperleaf Front Suspension |                   |
| F            | 09-14        | <b>GRAND SPORT ULTRA</b> All Models with 14,000 lb Taperleaf Front Suspension                      |                   |
| F            | 12-24        | <b>FREIGHTLINER 114SD</b> All All Models with 12000 lb to 20000 lb Set-Back Front Axle             |                   |
| F            | 13-23        | 122SD All All Models with 12000 lb to 20000 lb Set-Back Front Axle                                 |                   |
| F            | 09-20        | CASCADIA All 125 Models with 12000 to 13300 lb Taperleaf Front Suspension                          |                   |
| F            | 09-17        | CASCADIA All 113 Models with 12000 to 13300 lb Taperleaf Front Suspension                          |                   |
| F            | 09-20        | COLUMBIA All Models with 12000 lb Taperleaf Front Suspension                                       |                   |
| F            | 10-20        | CORONADO All Models with 12,000 lb to 20,000 Front Axle  |                   |
| F            | 09-11        | FLD120 All Models with 12000 to 13300 lb Taperleaf Front Suspension                                |                   |
| F            | 09-12        | FLD120SD All Models with 12000 to 13300 lb Taperleaf Front Suspension                              |                   |
| F            | 09-11        | FLD132 All Models with 12000 to 13300 lb Taperleaf Front Suspension                                |                   |
| F            | 09-24        | M2 112 All Models with 12000 lb to 20000 Front Axle  |                   |
| F            | 09-24        | <b>PIERCE MFG. INC. VARIOUS</b>  |                   |
| F            | 09-19        | <b>RENEGADE</b> VARIOUS  |                   |
| F            | 12-20        | <b>WESTERN STAR 4700SB</b> All Models with 20000 lb Set -Back Front Axle                           |                   |
| F            | 12-20        | 4800SB All Models with 12000 lb Taperleaf Front Suspension   |                   |
| F            | 13-20        | 4800SF All Models with 12000 lb Taperleaf Front Suspension   |                   |
| F            | 08-20        | 4900EX All Models with 12000 lb Taperleaf Front Suspension   |                   |
| F            | 08-20        | 4900FA All Models with 12000 lb Taperleaf Front Suspension   |                   |
| F            | 08-20        | 4900SA All Models with 20000 lb Set -Back Front Axle   |                   |
| F            | 16-22        | 5700XE All Models with 12,000 lb to 14,600 lb Taperleaf Springs                                    |                   |
| F            | 18-19        | 6900XD All Models with 12000 lb Taperleaf Front Suspension   |                   |
| F            | 09-16        | 6900XD All Models with 12000 lb Taperleaf Front Suspension   |                   |
| <b>91012</b> | B 401754 (4) |  |                   |
| R            | 96-98        | <b>FORD A9513</b> All Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring               |                   |
| R            | 97           | A9522 All Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring                           |                   |

# Numerical listing

| Shock        | POP      | Alternative No.                      | MTG Acc. Supplied   |
|--------------|----------|--------------------------------------|---|
| Pos.         | Year     | Application                          |   |
| <b>91012</b> | B (cont) | <b>401754 (4)</b>                    |   |
| R            | 96-98    | AT9513                               | All Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring                |
| R            | 97-98    | AT9522                               | All Models with 21000 lb or 23000 lb Axle and 46" Taperleaf spring                |
| R            | 94-97    | B - SERIES - BUS COWL CHASSIS        |   |
| R            | 94-97    | F-800                                | All Models with 21000 Taperleaf Springs   |
| R            | 94-98    | FT900                                | All Models with 46" Taperleaf Springs and 21000 lb Axle                           |
| R            | 94-97    | L8000F                               | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | L9000                                | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LN7000                               | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LN8000                               | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LN9000                               | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LNT8000F                             | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LNT9000                              | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| R            | 94-97    | LT9000                               | All Models with 21000 or 23000 lb. with 46" Taperleaf Spring                      |
| F            | 18-19    | <b>KENWORTH C500</b>                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 85-16    | C500                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 92-93    | C540                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 88-90    | C540                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 85-94    | C550                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 16-17    | ICON 900                             |   |
| F            | 05-06    | K100E                                | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 85-03    | K100E                                | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 93-05    | K300                                 | All Models with Taper Leaf Springs on Front Axle (1" Mounting bolts)              |
| F            |          | T300                                 |   |
| F            | 10-22    | T400                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 89-99    | T400                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 93-97    | T450                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 86-08    | T600A                                | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 10-22    | T800                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 87-99    | T800                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 97-11    | T2000                                | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 10-24    | W900                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 87-99    | W900                                 | All Models with Taper Leaf Springs on Front Axle                                  |
| F            | 89-05    | <b>MACK CH</b>                       | All CH600 Models with ST34 Suspension   |
| F            | 91-07    | CL                                   | All CL600, CL700 Models with ST34 Suspension                                      |
| F            | 83-94    | MH                                   | All MH Models with O.E.M. Number  |
| F            | 83-85    | R                                    | All RD Models with ST34 Suspension  |
| F            | 85-93    | RW                                   | All RW Models with O.E.M. Number  |
| R            |          | <b>TUTHILL TECHNOLOGIIES TRAILER</b> |   |
| <b>91013</b> | A        |                                      |   |
| F            | 16-17    | <b>KENWORTH ICON 900</b>             |   |
| F            | 15-22    | T270                                 | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 15-22    | T270                                 | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 21-24    | T280                                 | All Models with 10,000 lb to 12,000 lb Mono-leaf front springs                    |
| F            | 15-22    | T370                                 | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 15-22    | T370                                 | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |

# RydeFX

| Shock        | POP      | Alternative No.  | MTG Acc. Supplied   |
|--------------|----------|--|---|
| Pos.         | Year     | Application  |   |
| <b>91013</b> | A (cont) |  |   |
| F            | 22-25    | T380   | All Models with 14,000 Taperleaf Springs  |
| F            | 22-24    | T380   | All Models with 10,000 lb to 14,600 lb Taperleaf Springs                          |
| F            | 22-25    | T480   | All Models with 10,000 lb to 14,600 lb Taperleaf Springs                          |
| F            | 22-24    | T480   | All Models with 10,000 lb to 12,000 lb Mono-leaf front springs                    |
| F            | 22-24    | T480   | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-24    | T680   | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-23    | T680   | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-25    | T880   | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-23    | T880   | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 25       | T80S   |   |
| F            | 16-22    | <b>PETERBILT 330</b>   | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 15-23    | 337  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-23    | 348  | All Models with 20,000 lb Taperleaf Springs and Set Back Front Axles              |
| F            | 14-22    | 348  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 22-24    | 536  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 22-25    | 537  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 25       | 537  | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 22       | 537  | All Models with 16,000 lb to 20,000 lb Taperleaf Springs and Set Back Front Axles |
| F            | 22-25    | 548  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 22-25    | 548  | All Models with 20,000 lb Taperleaf Springs and Set Back Front Axles              |
| F            | 14-23    | 567  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| F            | 14-23    | 567  | All Models with 20,000 lb Taperleaf Springs and Set Back Front Axles              |
| F            | 13-24    | 579  | All Models with 10,000 lb to 14,600 lb Taperleaf Springs and Set Back Front Axles |
| <b>91014</b> | A        | <b>401754 (2)</b>  |   |
| F            | 12-22    | <b>KENWORTH T440</b>   |   |
| F            | 10-21    | T470   |   |
| F            | 05-07    | T600, T600B, T602  |   |
| F            | 05-08    | T600A  | All Models with 13,000 lb Front Axle  |
| F            | 07-20    | T660   | All Models with 12,000 or 13,200 lb Front Axle                                    |
| F            | 11-16    | T700   | All Models with 13,000 lb Front Axle  |
| F            | 05-23    | T800   | All Models with 12,000 to 20,000 lb Front Axles                                   |
| F            | 06-11    | T2000  | All Models with 13,000 lb Front Axle  |
| F            | 05-22    | W900   | All Models with 12,000 or 13,200 lb Front Axle                                    |
| <b>91015</b> | B        | <b>145080 (2)</b>  |   |
| F            |          | <b>BLUE BIRD ADDITIONAL APPLICATIONS</b>                                 |   |
| F            |          | <b>BROCKWAY SCHOOL BUS VARIOUS</b>                                       |   |
| F            |          | <b>CHANCE COACH TRANSIT BUS VARIOUS</b>                                  |   |
| F            | 57-76    | <b>FORD MOTORHOME CHASSIS INTERNATIONAL A, B, AC AND BC CONVENTIONAL</b> |   |
| R            |          | <b>A, B, AC AND BC CONVENTIONAL BINDER</b>                               |   |
| F            |          | <b>CARGOSTAR</b>   |   |

# Numerical listing

| Shock        | POP      | Alternative No.  | MTG Acc. Supplied  |
|--------------|----------|--|--|
| Pos.         | Year     | Application  |  |
| <b>91015</b> | B (cont) | <b>145080 (2)</b>  |  |
| F            |          | <b>LOADSTAR - CONVENTIONAL LOADSTAR - CONVENTIONAL METRO &amp; MULTI-SHOP SERIES METRO &amp; MULTI-SHOP SERIES S SERIES SCHOOL BUS S SERIES SCHOOL BUS</b> |  |
| R            | 85       | <b>ISUZU ADDITIONAL APPLICATIONS</b>   |  |
| R            | 86-95    | <b>NPR All</b>   |  |
| F            | 19-24    | <b>KENWORTH W990</b>   | All Models with 14,600 lb Taperleaf Front Spring Suspension  |
| F            | 13       | <b>PETERBILT 220</b>   | All Models with 12,000 lb Front Axle   |
| F            | 10       | 220  | All Models with 12,000 lb Front Axle   |
| F            | 07       | 220  | All Models with 12,000 lb Front Axle   |
| F            | 08-19    | 325  | All Models with 12000 lb Set Back Front Axle   |
| F            | 07-16    | 330  | All Models with 12000 lb Set Back Front Axle   |
| F            | 95-05    | 330  | All Models with 12000 lb Set Back Front Axle   |
| F            | 05-10    | 335  | All Models with 12000 lb Set Back Front Axle   |
| F            | 07-10    | 340  | All Models with 12000 lb Set Back Front Axle   |
| F            | 87-08    | 357  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 81-06    | 362  | All C.O.E. Models with Progressive Springs   |
| F            | 08-15    | 365  | All Models with 12,000 lb to 16,000 lb Taperleaf Front Suspension (Set-Back Axle)                      |
| F            | 08-16    | 367  | All Models with 10,000 lb to 16,000 lb Taperleaf Front Spring Suspension and with Set Back Front Axle. |
| F            | 89-93    | 372  | All C.O.E. Models with Front Spring Suspension   |
| F            | 87-96    | 375  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 99       | 376  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 94-96    | 376  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 88-92    | 376  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 87-01    | 377  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 88-07    | 378  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 86-07    | 379  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 95-07    | 385  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 06-16    | 386  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 00-11    | 387  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 08-15    | 388  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| F            | 08-21    | 389  | All Conventional Models with Spring Suspension and with Set Back Front Axle.                           |
| <b>91016</b> | A        |  |  |
| R            | 18-20    | <b>MACK ANTHEM</b>   | All Anthem 64T Models with 40,000 lb Rear Air Suspensions  |
| R            | 11-19    | <b>CHU</b>   | All CHU-613 Models with 40,000 lb Rear Air Suspensions   |
| R            | 11-19    | <b>CXU</b>   | All CXU613 Models with 40,000 lb Rear Air Suspensions  |
| R            | 11-22    | <b>POWERHOUSE COACH INC. VARIOUS</b>   |  |
| R            | 11-18    | <b>RENEGADE</b>  | VARIOUS  |
| R            | 17-18    | <b>VOLVO VAH</b>   | SERIES   |
| R            | 11-24    | <b>VNL</b>   | All Models with 40,000 lb Rear Air Suspension, with O.E.M Number                                       |

## Numerical listing

| Shock                 | POP   | Alternative No.   | MTG Acc. Supplied                                 |
|-----------------------|-------|---|---|
| Pos.                  | Year  | Application   |   |
| <b>91016</b> A (cont) |       |   |   |
| R                     | 16-20 | VNL 300   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 11-18 | VNL 430   |   |
| R                     | 15-16 | VNL 430   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 11-19 | VNL 630   |   |
| R                     | 15-16 | VNL 630   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 17-20 | VNL 740   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 17-20 | VNL 760   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 17-20 | VNL 860   | All Models with 40,000 lb Rear Air Suspension     |
| R                     | 18-19 | VNR   | All 300 Models with 40,000 lb Rear Air Suspension |
| R                     | 18-19 | VNR   | All 400 Models with 38,000 lb Rear Air Suspension |
| R                     |       | VNR SERIES  |   |
| R                     |       | VNX - SERIES  |   |
| <b>91018</b> A        |       |   |   |
| R                     |       | <b>BENSON TRUCK BODIES INC. VARIOUS</b>                         |   |
| R                     |       | <b>CUSH CORPORATION TRAILER SUSPENSIONS - LOW MOUNT</b>         |   |
| R                     |       | <b>TRAILER SUSPENSIONS - TOP MOUNT</b>                          |   |
| R                     |       | <b>EAST MANUFACTURING CORP. VARIOUS</b>                         |   |
| R                     |       | <b>FRUEHAUF COMPOSITE DRY BOX</b>                               |   |
| R                     |       | <b>GALLEGOS TRAILER</b>   |   |
| R                     |       | <b>GREAT DANE TRAILER VARIOUS</b>                               |   |
| R                     |       | <b>HENDRICKSON TRAILER SUSPENSION SYSTEMS</b>                   |   |
| R                     |       | <b>ADDITIONAL APPLICATIONS</b>                                  |   |
| R                     |       | <b>INTRAAAX</b>   |   |
| R                     |       | <b>TOP MOUNT STYLE</b>  |   |
| R                     |       | <b>UNDERSLUNG STYLE</b>   |   |
| R                     |       | <b>VANTRAAX</b>   |   |
| R                     |       | <b>MC NEILUS TRUCK &amp; MAN. VARIOUS</b>                       |   |
| R                     |       | <b>ORION BUS VARIOUS</b>  |   |
| R                     |       | <b>RIDEWELL CORP. TRAILER AIR-RIDES</b>                         |   |
| R                     |       | <b>TRUCK AIR-RIDES</b>  |   |
| R                     |       | <b>SAF HOLLAND TRAILER AIR SUSPENSION</b>                       |   |
| R                     |       | <b>TRUCK, BUS &amp; MOTORHOME AIR SUSPENSIONS</b>               |   |
| R                     |       | <b>TRUCK &amp; TRACTOR AIR SUSPENSION (TAG AXLE)</b>            |   |
| R                     |       | <b>STOUGHTON TRAILERS INC. VARIOUS</b>                          |   |
| R                     |       | <b>THOMAS VARIOUS</b>   |   |
| R                     |       | <b>TRAILMOBILE CANADA CORP. VARIOUS</b>                         |   |
| R                     |       | <b>TWIN COACH VARIOUS</b>                                       |   |
| R                     |       | <b>UTILITY TRAILER MANUFACTURING COMPANY FLATBEDS</b>           |   |
| R                     |       | <b>REEFERS &amp; DRY VANS</b>                                   |   |
| R                     |       | <b>WABASH NATIONAL VARIOUS</b>                                  |   |
| R                     |       | <b>WATSON &amp; CHALIN MFG. INC. VARIOUS</b>                    |   |
| <b>91020</b> B        |       |   |   |
| R                     | 16-17 | <b>KENWORTH ICON 900</b>  |   |
| R                     | 12-19 | T440  |   |
| R                     | 10-17 | T470  |   |
| R                     | 22-25 | T480 All Models with Air Glide AG400                            |   |
| R                     | 01-07 | T600, T600B, T602   |   |
| R                     | 01-08 | T600A All Models with Air Glide 400 (AG400) Rear Air Suspension |   |
| R                     | 13-18 | T660 All Models with Air Glide 400 (AG400) Rear Air Suspension  |   |
| R                     | 13-24 | T680 All Models with Air Glide 400 (AG400) Rear Air Suspension  |   |
| R                     | 11-16 | T700 All Models with Air Glide 400 (AG400) Rear Air Suspension  |   |
| R                     | 01-23 | T800 All Models with Air Glide 400 (AG400) Rear Air Suspension  |   |
| R                     | 10-21 | T800, T800B, T800B(8X4), T800SH, T800H, T800W                   |   |
| R                     | 07-09 | T800B, T800B(8X4), T800SH, T800H, T800W                         |   |
| R                     | 11-24 | T880 All Models with Air Glide 400 (AG400) Rear Air Suspension  |   |
| R                     | 05-11 | T2000 All Models with Air Glide 400 (AG400) Rear Air Suspension |   |

## RydeFX

| Shock                 | POP   | Alternative No.   | MTG Acc. Supplied   |
|-----------------------|-------|---|---|
| Pos.                  | Year  | Application   |   |
| <b>91020</b> B (cont) |       |   |   |
| R                     | 04-24 | W900  | All Models with Air Glide 400 (AG400) Rear Air Suspension |
| R                     | 05-21 | W900, W900B, W900L, W900S   |   |
| R                     | 19-24 | W990  | All Models with Air Glide 400 (AG400) Rear Air Suspension |
| <b>91024</b>          |       |   |   |
| F                     | 18-24 | <b>FREIGHTLINER CASCADIA</b> All 126 Models with 12000 to 13300 lb Taperleaf Front Suspension |   |
| F                     | 18-21 | CASCADIA All 116 Models with 12000 to 13300 lb Taperleaf Front Suspension                     |   |
| F                     | 18-20 | CASCADIA All 113 Models with 12000 to 13300 lb Taperleaf Front Suspension                     |   |
| F                     | 23-24 | <b>WESTERN STAR 57X</b> All Models with 12000 to 13300 lb Taperleaf Front Suspension          |   |
| <b>91031</b> W        |       |   |   |
| F                     | 09-18 | <b>INTERNATIONAL LONESTAR</b> All Models with 12,350 lb Front Mono Leaf Spring Suspension     |   |
| F                     |       | PROSTAR   |   |
| F                     | 09-18 | PROSTAR All Models with 12,350 lb Front Mono Leaf Spring Suspension                           |   |
| <b>91032</b> A        |       |   |   |
| R                     | 04-09 | <b>INTERNATIONAL 9200I SBA</b> All All models with 40,000 lb Rear Air Suspension              |   |
| R                     | 04-09 | 9400I SBA All All models with 40,000 lb Rear Air Suspension                                   |   |
| R                     | 04-09 | 9900I All All models with 40,000 lb Rear Air Suspension                                       |   |
| R                     | 04-09 | 9900IX All All models with 40,000 lb Rear Air Suspension                                      |   |
| R                     | 09-15 | LONESTAR All All models with 40,000 lb Rear Air Suspension                                    |   |
| R                     |       | LONESTAR - SERIES   |   |
| R                     |       | PROSTAR   |   |
| R                     | 09-17 | PROSTAR All All models with 40,000 lb Rear Air Suspension                                     |   |
| R                     |       | SERIES 9200, 9200I - TRACTOR & STRAIGHT TRUCK   |   |
| R                     |       | SERIES 9300, 9300I, 9400 & 9400I LONG HOOD CONV.  |   |
| R                     | 10-11 | SERIES 9900, 9900I, 9900IX LONG HOOD CONV. TRUCK  |   |
| R                     |       | TERRASTAR   |   |
| <b>91033</b> A        |       |   |   |
| F                     | 21-24 | <b>MACK ANTHEM</b> All Anthem 64T Models with 12,000 to 12,500 lb Front Axles                 |   |
| F                     | 18-24 | ANTHEM All Models with 13,200 to 14,600 lb Front Axles  |   |
| F                     | 04-07 | CHN All CHN-613 Models with 12,000 lb Front Axle  |   |
| R                     | 07    | CHU   |   |
| R                     | 98-05 | CX All CX Vision Models w/ Hendrickson Air Suspension   |   |
| R                     | 98-05 | CX All CX Vision Models w/ Parabolic Spring   |   |
| F                     | 98-05 | CX All Models with O.E.M. Number  |   |
| F                     | 05-08 | CXN All CXN-613 Models with 12,000 lb Front Axles   |   |
| R                     | 08    | CXN All CXN-613 Models with 40,000 lb Rear Air Suspensions                                    |   |
| F                     | 06-07 | CXP All CXP-613 Models with 12,000 lb Front Axles   |   |
| R                     | 06-07 | CXP All CXP-613 Models with 40,000 lb Rear Air Suspensions                                    |   |
| F                     | 08-19 | CXU All Models with 12,000 - 14,600 lb Front Axles  |   |
| F                     | 06-10 | <b>POWERHOUSE COACH INC. VARIOUS</b>  |   |
| F                     | 06-10 | <b>RENEGADE VARIOUS</b>   |   |
| F                     | 14    | <b>VOLVO VAH SERIES</b>   |   |
| F                     | 00-24 | VNL All Models with 12,000 - 13,200 lb Front Axles  |   |
| F                     | 06-24 | VNL 300   |   |
| F                     | 16-20 | VNL 300 All Models with 12,000 - 13,200 lb Front Axles  |   |
| F                     | 06-10 | VNL 430   |   |
| F                     | 15-16 | VNL 430 All Models with 12,500 - 14,600 lb Front Axle   |   |
| F                     | 06-10 | VNL 630   |   |
| F                     | 15-16 | VNL 630 All Models with 12,500 - 14,600 lb Front Axle   |   |
| F                     | 06-10 | VNL 670   |   |
| F                     | 15-16 | VNL 670 All Models with 12,500 - 14,600 lb Front Axle   |   |
| F                     | 17-24 | VNL 740   |   |

## Numerical listing

| Shock                 | POP   | Alternative No.   | MTG Acc. Supplied                                  |
|-----------------------|-------|---|--|
| Pos.                  | Year  | Application   |  |
| <b>91033</b> A (cont) |       |   |  |
| F                     | 17-20 | VNL 740   | All Models with 12,500 - 14,600 lb Front Axle      |
| F                     | 21-24 | VNL 760   |  |
| F                     | 17-20 | VNL 760   | All Models with 12,500 - 14,600 lb Front Axle      |
| F                     | 20    | VNL 760   | All Models with 13,200 lb to 14,600 lb Front Axle  |
| F                     | 21-24 | VNL 860   |  |
| F                     | 17-20 | VNL 860   | All Models with 12,500 - 14,600 lb Front Axle      |
| F                     | 06-24 | VNL SERIES  |  |
| F                     | 11-18 | VNM   | All Models with 12,000 - 14,600 lb Front Axle      |
| F                     | 21-24 | VNR   | All Models with 12,000 lb to 12,500 lb Front Axle  |
| F                     | 21-24 | VNR   | All Models with 13,200 lb to 14,600 lb Front Axle  |
| F                     | 18-19 | VNR   | All Models with 12,500 lb Front Axle               |
| F                     | 17-24 | VNR 300   |  |
| F                     | 17-24 | VNR 400   |  |
| F                     | 17-24 | VNR 640   |  |
| F                     |       | VN SERIES - 2200  |  |
| F                     | 19-20 | VNX   | All Models with 12,500 - 14,600 lb Front Axle      |
| F                     | 14-17 | VNX   | All Models with 12,500 - 14,600 lb Front Axle      |
| F                     | 06-10 | VT  | All All Models with 12,000 - 13,200 lb Front Axles |
| <b>91034</b> B        |       |   |  |
| R                     | 04-07 | <b>MACK CHN</b> All CHN-613 Models w/ MACK Air Suspension                                   |  |
| R                     | 98-05 | CX All CX Vision Models w/ MACK Air Suspension  |  |
| R                     | 05-07 | CXN All CXN-613 Models w/ MACK Air Suspension   |  |
| R                     | 06-11 | <b>POWERHOUSE COACH INC. VARIOUS</b>  |  |
| R                     | 06-11 | <b>RENEGADE VARIOUS</b>   |  |
| R                     | 04    | <b>VOLVO VN</b> All Models with O.E.M. Number   |  |
| R                     | 99    | VN All Models with O.E.M. Number  |  |
| R                     | 00-11 | VNL All Models with 38,000 lb Rear Air Suspension   |  |
| R                     | 06-11 | VNL 300   |  |
| R                     | 05-11 | VNL 430   |  |
| R                     | 06-11 | VNL 630   |  |
| R                     | 06-11 | VNL 670   |  |
| R                     | 06-11 | VNL SERIES  |  |
| R                     |       | VN SERIES - 2200  |  |
| R                     | 00    | VN SERIES - 2200  |  |
| R                     | 06-10 | VT All 64T-830 Models with 40,000 lb Rear Air Suspension                                    |  |
| <b>91035</b> A        |       |   |  |
| F                     | 02-04 | <b>DYNAMAX CORP</b> GRAND SPORT All Models with 12000 lb Taperleaf Front Suspension         |  |
| F                     | 07-08 | GRAND SPORT GT TOY HAULER All 410TH & 450TH Models with 12000 lb Taperleaf Front Suspension |  |
| F                     | 07-08 | GRAND SPORT ULTRA All Models with 14,000 lb Taperleaf Front Suspension                      |  |
| F                     | 20-24 | <b>ENTEGR COACH ACCOLADE</b> All Models with Freightliner S2RV chassis                      |  |
| F                     | 21-24 | ACCOLADE XL All Models with Freightliner S2RV chassis                                       |  |
| F                     | 12-23 | <b>FREIGHTLINER 114SD</b> All All Models with 18,000 lb Flat Leaf Spring                    |  |
| F                     | 99-15 | ARGOSY All Models with 12000 lb Taperleaf Front Suspension                                  |  |
| F                     | 05-23 | B2 All Models with 12000 lb Taperleaf Front Suspension                                      |  |
| F                     | 08    | CASCADIA All 125 Models with 12000 to 13300 lb Taperleaf Front Suspension                   |  |
| F                     |       | CENTURY CLASS   |  |
| F                     | 00-11 | CENTURY CLASS All Models with 12000 lb Taperleaf Front Suspension                           |  |
| F                     | 01-11 | CLASSIC All Models with 12000 lb Taperleaf Front Suspension                                 |  |
| F                     | 01-09 | CLASSIC XL All Models with 12000 lb Taperleaf Front Suspension                              |  |
| F                     | 00-08 | COLUMBIA All Models with 12000 lb Taperleaf Front Suspension                                |  |
| F                     | 01-07 | CONDOR All Models with 14,600 to 20,000 lb Front Suspension                                 |  |
| F                     | 01-09 | CORONADO All Models with 12000 lb Taperleaf Front Suspension                                |  |

## Numerical listing

| Shock        | POP   | Alternative No.      | MTG Acc. Supplied  |
|--------------|-------|----------------------|--|
| Pos.         | Year  | Application          |  |
| <b>91035</b> |       | A (cont)             |  |
| F            | 95-01 | FLC112               | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 95-08 | FLD112               | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 95-08 | FLD120               | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 05-08 | FLD120SD             | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 03    | FLD120SD             | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 05-08 | FLD132               | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 06-08 | FRED CHASSIS         |  |
| F            | 03-08 | M2 112               | All Models with 12000 lb to 20000 Front Axle               |
| F            |       | MC CHASSIS           |  |
| F            | 18-24 | VARIOUS              |  |
| F            | 18-24 | JAYCO SENECA         | All Models with Freightliner S2RV chassis                  |
| F            | 21-24 | SENECA PRESTIGE      | All Models with Freightliner S2RV chassis                  |
| F            | 18-24 | RENEGADE VALENCIA    | All Models with Freightliner S2RV chassis                  |
| F            | 99-03 | STERLING TRUCK A9500 | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 99-01 | A9513                | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 99    | A9522                | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 95-23 | THOMAS SAF-T-LINER   | All Models with 12000 lb Taperleaf Front Suspension        |
| F            | 95-23 | SAF-T-LINER          | All Models with Freightliner CC B2 Bus Chassis             |
| F            | 22-24 | THOR MOTOR COACH     |  |
| F            |       | INCEPTION            | All Models with Freightliner S2RV chassis                  |
| F            | 22-24 | PASADENA             | All Models with Freightliner S2RV chassis                  |
| F            | 19-24 | TIFFIN ALLEGRO BAY   | All Models with Freightliner S2RV chassis                  |
| F            | 12-20 | WESTERN STAR 4700SF  | All Models with 18,000 lb - 20,000 lb Flat Leaf Spring     |
| <b>91036</b> |       | C                    | 145099 (1)   |
| R            |       | INTERNATIONAL        | VARIOUS  |
| R            | 95-02 | PETERBILT 330        | All Models with Peterbilt 40000 lb Low Air Leaf Suspension |
| R            | 87-01 | 357                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 81-01 | 362                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 89-93 | 372                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 87-96 | 375                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 99    | 376                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 94-96 | 376                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 88-92 | 376                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 87-01 | 377                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 88-02 | 378                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 86-02 | 379                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 95-02 | 385                  | All Models with Peterbilt Low Air Leaf Suspension          |
| R            | 00-02 | 387                  | All Models with Peterbilt Low Air Leaf Suspension          |
| <b>91037</b> |       | D                    | 145099 (1)   |
| R            | 14-18 | PETERBILT 320        | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-21 | 330                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-21 | 337                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-21 | 348                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-21 | 365                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-24 | 367                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 13-16 | 386                  | All Models with Air Trac Suspension (40,000 lb)            |
| R            | 14-15 | 388                  | All Models with Air Trac Suspension (40,000 lb)            |

## RydeFX

| Shock        | POP   | Alternative No.   | MTG Acc. Supplied   |
|--------------|-------|-------------------|---|
| Pos.         | Year  | Application       |   |
| <b>91037</b> |       | D (cont)          | 145099 (1)  |
| R            | 14-24 | 389               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 17-22 | 520               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 22-24 | 536               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 22-25 | 537               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 22-25 | 548               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 14-24 | 567               | All Models with Air Trac Suspension (40,000 lb)           |
| R            | 14-24 | 579               | All Models with Air Trac Suspension (40,000 lb)           |
| <b>91038</b> |       | B                 | 145089-200 (1)  |
| R            | 16-17 | KENWORTH ICON 900 |   |
| R            | 12-20 | T440              |   |
| R            | 10-19 | T470              |   |
| R            | 05-08 | T600A             | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 07-20 | T660              | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 11-23 | T680              | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 05-23 | T800              | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 11-24 | T880              | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 05-11 | T2000             | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 05-24 | W900              | All Models with Air Glide 460 (AG460) Rear Air Suspension |
| R            | 19-24 | W990              | All Models with Air Glide 460 (AG460) Rear Air Suspension |

## Numerical listing

| Shock | POP  | Alternative No. | MTG Acc. Supplied |
|-------|------|-----------------|-------------------|
| Pos.  | Year | Application     |                   |



**RYDEFX® HIGH PERFORMANCE HD MONOTUBE SHOCKS  
GIVE YOUR RIG ULTIMATE STYLE AND RIDE!**

**RydeFX® are not only for style -  
they also offer top of the line features including:**



**ROD GUIDE BEARING SYSTEM** provides optimal smooth performance

**CHROMED PISTON ROD** for top of the line corrosion resistance and smooth surface lubrication for longer shock life

**ULTIMATE STABILITY & CONTROL** thanks to a large 2.1" bore and oversized 7/8" piston rod providing optimal quick reaction

**LONGER LASTING PERFORMANCE** with a multi-stage rod seal that reduces operating wear & tear from temperatures and debris, a Teflon multi-seal, NBR floating piston design, and extruded & honed tubing that reduces wear over the life of the shock

**SUPERIOR HIGH TEMPERATURE PERFORMANCE** thanks to a gas-charge that helps eliminate fade/performance loss at high temperatures

**MAXIMIZE NEW TIRE & AIR SPRING LIFE** with new high performance RydeFX® shocks

**DURABLE MONOTUBE DESIGN** featuring an ultra premium hard anodized shock body for exceptional appearance and corrosion resistance

**COMMERCIAL VEHICLE**

**PERFORMANCE SHOCKS**



**More information at  
RydeFX.com**